PERMIT NO.

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

SUBMIT IN TRIPLICATE\*


Form approved.

(May 1963)	UNI.	STATES	(Other instruc reverse si		Budget Bureau No. 42-R1425.
, <b>T</b>		T OF THE INTE			5. LEASE DESIGNATION AND SERIAL NO.
	GEOLO	GICAL SURVEY			or assess successfully and sparing No.
A DDI IC A TIC	ON FOR PERMIT	TO DRILL DEED	PEN OP PILIG P	VCK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK	JN FOR FERMIN	10 DRILL, DELI	LIN, ON PLUG B	- ACK	14-20-462-1322
	RILL 🍱	DEEPEN 🗌	PLUG BAC	CK 🗆	7. UNIT AGREEMENT NAME
OIL X	GAS OTHER		SINGLE MULTIP	LE	8. FARM OR LEASE NAME
2. NAME OF OPERATOR		4-1			Cedar Rim
Koch Explora	ation Company, a	subsidiary of	Koch Industries	, Inc.	9. WELL NO.
3. ADDRESS OF OPERATO					11-A
17th St. P1a	aza, 1225 17th S	t., #2540, Denv	er, CO 80202	<u>:                                    </u>	10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL At surface	(Report location clearly and	in accordance with any	State requirements.	$\theta_{M}$	Cedar Rim - Sink Draw
2094 FWL & At proposed prod. 2	1707' FSL (NESW)	) Sec. 27-T3S-R	GW ASS		AND SURVEY OR AREA
Same			11 10 00 W	397	27-T3S-R6W, USM
	S AND DIRECTION FROM NEA		CE. JOIL NO.		12. COUNTY OR PARISH 13. STATE
11 miles Not	rthwest of Duches		VO	1 17 No. 6	Duchesne Utah
LOCATION TO NEAR!	FWL FWL rlg. unit line, if any)	& 1707' FSL	NO. OF ACRES IN LEASE		HIS WELL 640.00
18. DISTANCE FROM PR	OPOSED LOCATION*  DRILLING, COMPLETED,	Approximately	9150	20. ROTA	RY OR CABLE TOOLS Rotary
21. ELEVATIONS (Show v	whether DF, RT, GR, etc.)		(9)	· · · · · · · · · · · · · · · · · · ·	22. APPROX. DATE WORK WILL START*
6104 GR			12/4		September 1, 1983
23.	I	PROPOSED CASING AN	D CEMENTING PROGRA	M	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT
24"	20" Conductor	Corrigated	60'	Cmt.	to surface
17½''	13 3/8"	68#	600'	_550_s	x Type 2 w/3% CaCl
124"	9 5/8"	47#	7050'	600 s	x Lite & 350 sx Class "H'
81211	7" Liner	1 26# to 29#	'7050' to 9150'	<sup>1</sup> 350 s	x Reg. Cmt.
See atta	ached 10 point of	perational plan	•		
one. If proposal is to	o drill or deepen directiona	proposal is to deepen or lly, give pertinent data	plug back, give data on pr on subsurface locations an	esent produ d measured	uctive zone and proposed new productive and true vertical depths. Give blowout
reventer program, if a	,.			<del> </del>	;
	- 1/ 1/ 1	0			

(This space for Federal or State office use)

\*See Instructions On Reverse Side form Island


DATE \_\_7/6/83



1225 SEVENTEENTH STREET

July 21, 1983

State of Utah
Department of Natural Resources
Board of Oil, Gas & Mining
4241 State Office Building
Salt Lake City, UT 84114



DIVISION OF USES A STATEMENT

Re: Cedar Rim Wells
Duchesne County, Utah

#### Gentlemen:

Enclosed, for your consideration and approval are the following:

- 1. Application to Drill, in triplicate, covering our Cedar Rim 5-A located in the SW4SW4 Section 16-T3S-R6W, USM.
- 2. Application to Drill, in Triplicate, covering our Cedar Rim 8-A located in the SW4SW4 Section 22-T3S-R6W, USM.
- 3. Three copies of our Application to Drill the Cedar Rim 6-A, which has been filed for approval with the Bureau of Land Management, located in the SW4SW4 Section 21-T3S-R6W, USM.
- 4. Three copies of our Application to Drill the Cedar Rim 11-A, which has been filed for approval with the Bureau of Land Management, located in the NE4SW4 Section 27-T3S-R6W, USM.
- 5. Three copies of our Application to Drill the Cedar Rim 12-A, which has been filed for approval with the Bureau of Land Management, located in the SE4SE4 Section 28-T3S-R6W, USM.

Each of the above wells are proposed infill wells within the Cedar Rim-Sink Draw area. It is our intension to produce said wells as the Unit well within the spaced section it is located, in lieu of the current producing well, and we should like a 90 day test period prior to shutting in the current producing well.

Your attention is invited to our letter dated March 30, 1983, in connection with the nonstandard location for an infill well for the Cedar Rim #12-A. The well was located because of topographic problems.

State of Utah Cedar Rim Wells Page 2

For your information, each section offsetting each of the above infill well locations, are leased by Koch, therefore, there are no other working interest owners affected by said wells.

Your early approval for each of the above locations is appreciated.

Yours very truly,

Robert D. Romek
Division Landman

RDR:cem

Encl.

OPERATOR	KOCH EXPLOR	ATION CO.	DATE 7-27-83
WELL NAME	CEDAR RIM	#11A	
SEC NES	5W 27 T 3:	USY	DUNTY DUCHESNE
			,
	43-013- 307	97	MAIGIN
	API NUMBER		TYPE OF LEASE
POSTING C	HECK OFF:		
	INDEX	МАР	HL
	NID		PI
PROCESSIN	G COMMENTS:		
<del>-112</del>	1651 0	WEZC	
/			
CHIEF PET	ROLEUM ENGINEER REVIEW	<i>i</i> :	
1100	<b>01</b>		
. /			
APPROVAL	LETTER:		
SPACING:	A-3		CAUSE NO. & DATE
	c-3-b		c-3-c
	Prior to spud	ding a copy	6071) approval for ig site must be therwise this approval
	use of water	at the driller	ig site must be
	is void.	this office,	Therwise this approval
	Special ation	nton is dere	y period during which as the original well
	time both	the test will in	nd the origional well
			ence The Landon Ar
	146-16 Buch	i de a facilita	127 July 12 1 2 might to

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFORMATION
VERIFY ADEQUATE AND PROPER BONDING INDIAN
AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.
APPLY SPACING CONSIDERATION
1110-17 8-27-8
140-12 8-27-71  ORDER 140-6 511-71
UNIT
с-3-ь
с-3-с
CHECK DISTANCE TO NEAREST WELL.
CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED ARFA, SPECIAL APPROVAL LANGUACE.

July 27, 1983

Kech Exploration Company 1225 - 17th Street, Suite 2540 Denver, Colorado 80202

> RE: Wc11 No. Cedar Rim #11-A NESW Sec. 27, T. 38, R. 6W 1707' FSL, 2094' FNL Duchesne County, Utah

#### Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 140-12 dated August 27, 1983. Prior to spudding, a copy of the Utah Division of Water Rights (801-533-6071) approval for use of water at the drilling site must be submitted to this office, otherwise this approval is void. Special attention is directed to compliance with a maximum 60 day period during which time both the test well and the original well may be produced at the same time. Bottom hole pressure tests and other test data required by Cause 140-12 shall be submitted at time of completion.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-013-30797.

Sincerely,

Norman C. Stout Administrative Assistant

NCS/as

cc: Oil & Gas Operations

Direction of Tuestan Affection

1225 SEVENTEENTH STREET

#### **EXPLORATION COMPANY**

T PLAZA SUITE 2540 STREET DENVER, COLORADO 80202 TEL. 303-292-4311



July 26, 1983

Bureau of Land Management 1745 W. 1700 S., Suite 2000 Salt Lake City, Utah 84104

Re: Cedar Rim 11-A

Sec. 22-T3S-R6W, USM Duchesne, County, Utah

#### Gentlemen:

On July 7, 1983, we submitted, in quadruplicate, an Application to Drill the above referenced well together with an NTL-6.

We have discovered that one of the Lessee's Representatives set forth in item 12 of the NTL-6 is wrong. We, therefore, enclose in quadruplicate a new last page of the NTL-6. Please replace the last page of the NTL-6 with the attached.

Yours very truly,

Robert D. Romek Divison Landman

RDR:cem

Encl.

cc: State of Utah
Natural Resources and Energy
Wild Life Resources
1596 West North Temple
Salt Lake City, UT 84116
Attention: Don Christensen

State of Utah Department of Natural Resources Board of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, UT 84114 Ute Tribe Fort Duchsne, Utah 84026

Bureau of Indian Affairs Uintah and Ouray Agnecy Fort Duchesne, UT 84026

Grant Farley

Bud Ziser

JUL 20 107)

。 1990年11日東京新 1990年11日東京

#### 12. Lessee's or Operator's Representative

Grant Farley/ Dist. Prod. Supt. Koch Exploration Company P. O. Box 498 Duchesne, Utah 84021 Phone: 801-549-3176

Robert D. Romek/ Dist. Landman Koch Exploration Company 1225 17th St., Suite 2540 Denver, Colorado 80202 Phone: 303-2924311

#### 13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Koch Exploration Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

July 6, 1983 Date

Robert D. Romek, District Landman

# \* (Other instructions of

Form approved. Budget Bureau No. 42-R1425.

SUBMIT IN TRIPLICA

		ED STATES	reverse sie	de)		1.,	
·	DEPARTMEN <sup>®</sup>	T OF THE INTER	RIOR	ſ	5. LEASE DESIGNATION	AND SERIAL NO.	
0	GEOLO	GICAL SURVEY		ļ			
A DDI ICATIC	NI FOR DEDIAIT	TO DDILL DEED	EN OR PILIC R	A CK	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME	
APPLICATION	ON FOR PERMIT	IO DRILL, DEEP	EN, ON FLOOD	<u> </u>	14-20-462-	1322 Jun 13	
1a. TYPE OF WORK	RILL 🗗	DEEPEN 🗆	PLUG BAC	K 🗆	7. UNIT AGREEMENT N	AME UUL 1	
b. Type of well						SALT LAFE L	
well X	WELL OTHER		INGLE MULTIPI	' <b>"</b>	8. FARM OR LEASE NA	M E	
2. NAME OF OPERATOR				_	Cedar Rim		
	ation Company, a	subsidiary of	Koch Industries	, Inc.			
3. ADDRESS OF OPERATO			00000		11-A 10. FIELD AND POOL, O	DB WILDCAM	
17th St. Pla	aza, 1225 17th S	t., #2540, Denv	er, CO 80202				
4. LOCATION OF WELL At surface	(Report location clearly and	in accordance with any	State requirements.		11. SEC., T., R., M., OB	- Sink Draw	
	1707' FSL (NESW)	Sec. 27-T3S-R	6W	İ	AND SURVEY OR AL	REA	
At proposed prod. z	one	,			27-T3S-R6W	IISM	
Same	S AND DIRECTION FROM NEA	DOWN OR DOST OFFIC	·r.*		12. COUNTY OR PARISH		
					Duchesne	Utah	
11 miles Not	rthwest of Duche		O. OF ACRES IN LEASE	17. NO. 0	OF ACRES ASSIGNED		
LOCATION TO NEARE PROPERTY OR LEASE	EST 2094 FWL rig. unit line, if any)	& 1707' FSL	640.00	TO TI	640.00		
18 DISTANCE FROM PR		Approximately	ROPOSED DEPTH	20. ROTAL	TARY OR CABLE TOOLS		
OR APPLIED FOR, ON			9150'	<u> </u>	Rotary  22. APPROX. DATE WORK WILL START*		
	whether DF, RT, GR, etc.)				September 1, 1983		
6104' GR					<u> </u>		
23.	]	PROPOSED CASING AN	D CEMENTING PROGRA	.M			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEME	NT	
24"	20" Conductor	Corrigated	60'	1	to surface		
1 71/5"	13 3/8"	68#	600'		x Type 2 $w/3%$		
121/2"	9 5/8"	47#	7050'	1	x Lite & 350	sx Class "H"	
81211	7" Liner	26# to 29#	'7050' to 9150'	່ 350 ຄ	x Reg. Cmt.		
See atta	ached 10 point o	perational plan	.•				
						* 1	

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24. (This space for Federal or State office use) PERMIT NO. APPROVED BY CONDITIONS OF APPROVAL ATTACHED CONDITIONS OF APPROVAL, IF ANY:


NOTICE OF APPROVAL

\*See Instructions On Reverse Side

TO OPERATOR'S GOPY

ELARING OR VEHTING OF GAS IS SUBJECT TO WILL 4-A DATED 15/80

STATE OF G



Koch Exploration Company Well No. 11-A Section 27, T. 3 S., R. 6 W. Duchesne County, Utah Lease 14-20-H62-1322

#### Supplemental Stipulations

- 1. Operator employees, including subcontractors, will not carry firearms or other weapons that may be used to kill game animals.
- 2. Operator employees, including subcontractors, will be confined to established roads and well sites. The purpose of this is to prevent soil erosion, and to prevent harassment of game animals or livestock with off-road vehicles such as snowmobiles, motorcycles, 4-wheel drives, etc.
- 3. Operator employees, including subcontractors, will not gather fire wood along roads constructed by operators. It is the policy of the Ute Indian Tribe and the Bureau of Indian Affairs to require wood permits from the Forestry Section of B.I.A. for both Indians and non-Indians harvesting wood from the Uintah and Ouray Reservation.
- 4. Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include:
  (a) stockpiling the top soil, (b) establishing original ground contour,
  (c) re-establishing irrigation systems where applicable, (d) re-establishing top soil to the ground surface on disturbed areas, (e) re-establishing soil conditions in irrigated fields in such a way as to insure cultivation and harvesting of crops and (f) insuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the B.I.A. at the time of abandonment.
- 5. Production water will be disposed of at approved disposal pits or injection wells. The injection well or disposal pit used will be identified by legal description.
- 6. All roads constructed by operators on the Uintah and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the B.I.A. before cutting firewood or other timber products and (e) only authorized personnel permitted.
- 7. It is the policy of the B.I.A. and the Ute Indian Tribe to make right-of-ways available, without cost, to operators when both mineral rights and surface rights are owned by the Ute Indian Tribe. If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, the right-of-way will be approved and charges will be assessed for damages prior to the time the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, right-of-ways must be cleared with the other entity.

Page 2

- 8. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Information for permits will include: (a) the approximate amount of water or materials needed, (b) location and ownership of the water rights or materials to be used and (c) the approximate amount of time the water or materials will be used.
- 9. When soils are disturbed and natural vegetation destroyed, it is a natural process for annual weeds to invade the site. Often noxious weeds will grow, especially along roadways where seeds can be carried from place to place in dust and mud collecting on motorized vehicles. The operator will submit a plan for controlling noxious weeds along right-of-ways for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds can be obtained from the appropriate county.
- 10. Candy wrappers, beverage cans, construction materials, etc., will not be littered along roadways or other sites. The operator will initiate a procedure to keep the sites free from litter, and keep them groomed in a neat and professional condition.
- 11. A bench mark will be established near each well site in a location where it will not be destroyed. The bench mark will be set in concrete with a brass cap. The brass cap will show the well number and elevation to the nearest one-tenth of a foot. The cuts/fills for the well site will also show elevations in relation to the bench mark.
- 12. Obtain right-of-ways and permit from the BIA and Ute Tribe.
- 13. Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons in the Mahogany Zone of the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale resource. Surface casing program may require adjustment for protection of fresh water aquifers.

#### KEY TO SYMBOLS & ABBREVIATIONS

#### TANKS:

FWT - Fresh Water Tank (Boiler Feed)

WT - Produced Water Tank

PWT - Power Water Tank (Hydraulic Pumps)

TANK ID # - Oil Stock Tank

TANK SYMBOL

Type
Size (42 gl bbl)

#### PUMPS:

PUG - Pumping Unit w/ Gas Engine

PUE - Pumping Unit w/ Electric Motor

TPG - Hydraulic Triplex w/ Gas Engine

TPE - Hydraulic Triplex w/ Electric Motor

ESP - Electric Submersible Pump

#### PROCESS EQUIPMENT:

VT - Vertical Treater

HT - Horizontal Treater

HS - Horizontal Separator

GB - Gun Barrel Separator4

LH - Line Heater

SG - Steam Generator

DP - Drip Pot (Scrubber)

GP - Glycol Pot

VB - Valve Box

LL - Load Line

#### LINES & METERS:

GSL - Gas Sales Line

GSM - Gas Sales Meter

RGL - Residue Return Gas Line

GRM - Residue Gas Meter

PL - Power Line

CP - Electric Control Panel

DL - Drain Line

EL - Equalizing Line

SL - Steam Line

WDL - Produced Water Disposal Line

PB - Pipeline Bundle (Insulated)

#### MISCELLANEOUS:

WH - Wellhead

EP - Emergency Pit

FE - Fire Extinguisher

UB - Unused Building

SS - Storage Shed

- PP - Power Pole



#### **EXPLORATION COMPANY**

SEVENTEENTH STREET PLAZA
1225 SEVENTEENTH STREET DEN'
TEL. 303-292-4311

SUITE 2540 DENVER, COLORADO 80202



St. Tlast triggt o

July 26, 1983

Bureau of Land Management 1745 W. 1700 S., Suite 2000 Salt Lake City, Utah 84104

Re: Cedar Rim 11-A

27 Sec. M-T3S-R6W, USM

Duchesne, County, Utah

#### Gentlemen:

On July 7, 1983, we submitted, in quadruplicate, an Application to Drill the above referenced well together with an NTL-6.

We have discovered that one of the Lessee's Representatives set forth in item 12 of the NTL-6 is wrong. We, therefore, enclose in quadruplicate a new last page of the NTL-6. Please replace the last page of the NTL-6 with the attached.

Yours very truly,

Robert D. Romek Divison Landman

RDR:cem

Encl.

cc: State of Utah
Natural Resources and Energy
Wild Life Resources
1596 West North Temple
Salt Lake City, UT 84116
Attention: Don Christensen

State of Utah Department of Natural Resources Board of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, UT 84114 Ute Tribe Fort Duchsne, Utah 84026

Bureau of Indian Affairs Uintah and Ouray Agnecy Fort Duchesne, UT 84026

Grant Farley

Bud Ziser

		the state of the s
- Company	DIVISION/AREA	INTER ACCURATION
To the same	Mat. Mgr	The same of the sa
1	Administration	Control of the Contro
-	Resources	Same and the same of the same
	1111	water test en inc
	AUG	5 1983
	BUR SHOP LAND	Mark Kall
	Minerals	January and the state of the st
	Dia. Mila.	
	Backeliff	A STATE OF THE STA
	All Employees	

#### 12. Lessee's or Operator's Representative

Grant Farley/ Dist. Prod. Supt. Koch Exploration Company P. O. Box 498 Duchesne, Utah 84021 Phone: 801-549-3176 Robert D. Romek/ Dist. Landman Koch Exploration Company 1225 17th St., Suite 2540 Denver, Colorado 80202 Phone: 303-2924311

#### 13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Koch Exploration Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

July 6, 1983

Robert D. Romek, District Landman

Cedar Rim #11-A , Section 27-T3S-R6W, Duchesne County, Utah

- 1. Geologic name of surface formation Uintah Formation (Eocene).
- 2. Estimated tops of important geologic markers -

```
Evacuation Creek Member (Green River Formation) 2500'
Parachute Creek Member (Green River Formation) 3935'
Douglas Creek Member (Green River Formation) 5230'
Lower Green River Marker 6700'
Wasatch Formation 7010'
TD 9150'
```

- 3. Estimated depths at which oil and gas will be encountered: From 3900' to TD.
- 4. Proposed casing program:

Conductor Casing	20''	Corrigated	
Surface Casing	13 3/8"	68#	K-5S ST&C
Intermediate Casing	9 5/8"	47 <i>#</i>	P-110 BTC
Production Casing	7''	26# & 29#	N-80 LT&C Liner

Proposed setting depth of each casing string and the amount and type of cement including additives:

111

5. Pressure control equipment, well heads and BOP's:

```
13-3/8" csg. head - 3000# WP Gray Head or equivalent 9-5/8" csg. head - 5000# WP Gray Head or equivalent 13" 900 Series Shaffer Double Hydraulic BOP 13" 900 Series GK Hydrill BOP w/80 gal accumulator SWACO HP Kill & choke manifold PVT Mud sensory equipment & rate indicator Degasser & Gas Buster Rotating Drilling Head Upper & Lower Kelly Cocks Well Mud Logging Unit Kill valve on Rig Floor - for stab-in Bulk Barite Storage
```

#### 6. Mud Program:

O to 600' Fresh water. Spud mud 8.8 to 9.5#. 600' to 4900', 4900' to 5800'. Fresh water native mud 8.8 to 9.5# 5800' to TD Gel-Benex mud 9.2 to 13.0#. Mud pits will hold approx. 300 bbls. Will keep several hundred bbls produced water in reserve pit. Will have bulk barite storage hopper w/several tons on location at all times.


7. Auxillary Equipment:

Floats in drill pipe at bit Upper and lower Kelly cocks Kill valve on rig floor - for stab-in


8. Testing, logging and coring program:

No drill stem tests anticipated No cores will be cut DIL-SP and FDC-GR Logs will be run

- 9. Moderate abnormal pressures expected (see 5 and 6 for plans for mitigating), no abnormal temperature or poison gas anticipated.
- 10. Plan to start drilling well by Sept. 1, 1983. Well should be completed in 120 days.



## BLOWOUT PREVENTOR



NTL-6 Cedar Rim 11-A 2094' FWL & 1707' FSL (NESW) Section 27 -T3S-R6W, USM Duchesne County, Utah Existing Roads - See accompanying topographic map See the attached location plat prepared by Larry D. Becker. Drive west on US Hwy. 40, 9.0 miles from Duchesne, Utah, turn right and drive North on an existing road 0.6 mile to the Cedar Rim No. 16 well, continue North and East 0.7 mile, turn right and drive 0.9 mile to the location. See attached topographic map showing location of access road and copy of survey plat. (See Item 2 (8) below) The proposed well is a development well. See item "E" below. D. The existing roads within a 1-mile radius of the well site are shown on the attached topographic map. The existing roads are graded and maintained by Koch Exploration F. Company. No improvements are needed. Planned Access Roads - See accompanying topographic map and survey plat The running surface will be 16 to 20 feet wide. Average disturbed width will be 30 feet to provide for borrow ditches and adequate drainage. Maximum grade will be 8%. No turnouts will be constructed. (3) Road will be crowned and borrow ditches constructed. There will be some major cuts and fills for the first .03 mile of the access (4) road beginning at the Cedar Rim No. 16 well. The location and size of culverts (5) if needed, will be determined at time of construction of the road. Native material will be used in the construction of the road. surfacing material will be added. There will be a fence cut where the access road crosses the section line (7) between Sections 28 and 33-T3S-R6W. A cattle guard will be installed. The proposed access road has been surveyed and center line flagged; however, at the request of surface owner, the access road will follow the fence on the South of Section 27, then North into the location as shown on the topographic map attached. Location of Existing Wells - See accompanying topographic map (6) Producing wells within one (1) mile radius of well site - Cedar Rim No. 11, NWNE Sec. 27-T3S-R6W; Cedar Rim No. 12, SWNE Sec. 28-T3S-R6W; Cedar Rim No. 15, SWNE Sec. 34 T3S-R6W.

(7) thru (9) - None. Location of Existing and/or Proposed Facilities See accompanying topographic map. (1) and (2) - Tank batteries and production facilities are located at each of the well sites described in item 3. (6) above. There are no oil gathering lines. There is a gas gathering line along the access roads to the Cedar Rim No. 11 and 12 wells. There is also a gas gathering line along the access road to the Cedar Rim No. 15 well. There are no injection lines. (5) There are no disposal lines. (6)

В. In the event of production, complete production facilities will be installed on the location. Detailed plans of the facilities including dimensions, construction methods and materials, color of paint and protective measures, will be submitted by Sundry Notice for approval prior to construction. C. After drilling is completed, the reserve pit will be back filled and that part of the disturbed well site not needed for producing operations will be graded back to the original contour as near as practicable and reseeded with a seed mixture recommended by the Utah Division of Wildlife Resources. Depending upon the time of year, restoration should be completed within 90 days from completion of the well. D. If plans to frac the well are made, frac tanks and equipment will be located to meet government requirements. 5. Location and Type of Water Supply The water supply will be obtained from the Strawberry River West of Duchesne, Utah where said river crosses Hwy. 40, or from the Starvation B. The water will be transported by water trucks using existing highways and/or roads. C. No water wells will be drilled on the leased premises. 6. Source of Construction Material A. Native material will be used in the construction of the drillsite and access road. The native material used in the construction of the drillsite and the access road is on leased premises where the oil and gas rights are owned by the Ute Indian Tribe and the Ute Distribution Corporation, and the surface is owned by the Utah Division of Wildlife Resources where the drillsite is located and that portion of the access road in Sections 27 and 28. Security Title Company is owner of the surface where the access road is in Section 33. The native material at the site of construction will be used. The access road and location are on land where the surface is owned in fee and the minerals owned by the Ute Tribe and Ute Distribution Corp. 7. Methods for Handling Waste Disposal All cuttings, salts and other solid waste will be contained in the reserve pit, and upon completion of drilling, the pit will be backfilled covering such waste. The drilling fluids will be contained in the reserve pit, and upon completion of drilling, the fluids will be allowed to evaporate or will be hauled away. Any produced oil will be contained in tank batteries on the location site and sold. Produced water will be piped or hauled by truck to Koch's Salt Water Disposal Well located in the NW1/4NW1/4 Section 18-T3S-R6W. A portable chemical toilet will be on the location site for human (4) waste and sewage.

(5) Garbage and other waste material will be contained in a fenced trash pit and covered with small wire mesh. Pit will be covered with a minimum of four feet of dirt upon completion of the well. After the well has been drilled and completed, all material not needed for producing activities will be moved off the location. The reserve pit will be allowed to dry and then back filled. The trash pit will be covered with dirt and that part not needed for production facilities and activity will be restored to its original slope and condition as nearly as is practicable. Ancillary Facilities None. Well Site Layout Attached are the following: (1), (2) and (3) a) Location layout showing cuts and fills, access road, drainages and soil materials stockpile. Cross Section of location. c) Drilling Rig Layout showing location of mud tanks, pipe racks, trailers, etc. (4) Pits will be unlined. Plans for Restoration of Surface Upon completion of the well, the fluids in the reserve pit will be allowed to evaporate or hauled off, and when dry, said pit will be back filled and leveled. That part of the location not needed for production equipment and operations will be re-contoured to its original slope and condition as nearly as is practicable. The top soil will be re-distributed and re-seeding will be done in the fall when germination is most likely to be successful. If the well is dry, the access road will also be rehabilitated. A seed mixture as recommended by the Utah Wildlife Resources will be used. During drilling, the reserve pit will be fenced with woven wire on three sides and at the time of rig release, said pit will be fenced on the fourth side and so maintained until back filled and leveled. Overhead flagging will also be installed. (5) Depending on the time of year and weather conditions, the restoration of the area will be accomplished in approximately 90 days. 11. Other Information The location is near the southern edge of the rim of Rabbit Gulch. surrounding the location has been chained of the pinion/juniper growth to create a winter habitat for wildlife. Specific vegetation is prickly Pear, Russian thistle, range grasses, sagebrush and shadscale. The immediate area around the location is used for wildlife grazing. The (2) area in Section 33 at the beginning of the access road, will eventually be sold by Security Title Company as recreational sites. There is no water in the immediate vicinity of the drillsite, however, Starvation Reservoir is located approximately 3 miles East and the Strawberry River is approximately 2 miles South. Trees that are removed for the access road in Section 33 will be pushed to the side of the road and left for woodcutters as per request of surface owner. There are no trees on the balance of the access road across Utah Division of Wildlife Resources land. Drilling and construction activities will not be conducted between November 15 and April 15 without the written consent of the Utah Division of Wildlife Resources as the area is within a Winter Deer Range.

#### 12. Lessee's or Operator's Representative

Esker Matteson/Dist. Prod. Supt. Koch Exploration Company 507 Fruitdale Court Unit B Grand Junction, CO 81501 Phone: 303-434-1037

Robert D. Romek/Dist. Landman Koch Exploration Company Seventeenth Street Plaza 1225 17th St., Suite 2540 Denver, CO 80202 Phone: 303-292-4311


#### 13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Koch Exploration Company and its contractors and subcontractors in conformity with this plan and the terms and conditons under which it is approved.

July 6, 1983

Date

Robert D. Romek, District Landman




The centerline (30' on each side) of a proposed access road right-of-way thru portions of Sections 27 & 28, T3S., R6W. of the Uintah Special Meridian, Duchesne County, Utah more completely described as follows:

Beginning at a point on the westerly line of the Koch Exploration Co. Cedar Rim #11-A drill pad from which the northwest corner of said Section 27 bears N.29 54'W. 4023.6 feet

```
Thence S.66°40'W.
                                513.8 feet along the centerline of said road;
(0-1)
        Thence S.32<sup>0</sup>06'E.
Thence S.01<sup>0</sup>44'W.
                                468.8 feet along the centerline of said road;
(1-2)
                                102.8 feet along the centerline of said road;
(2-3)
         Thence S.51 39 W.
                                402.9 feet along the centerline of said road;
(3-4)
         Thence S.40°33'W.
                                272.7 feet along the centerline of said road;
(4-5)
        Thence S. 40 33 W.
Thence S. 56 47 W.
Thence S. 64 26 W.
Thence S. 82 50 W.
Thence S. 76 18 W.
                                192.1 feet along the centerline of said road;
(5-6)
                                126.3 feet along the centerline of said road;
(6-7)
                                358.7 feet along the centerline of said road;
(7-8)
                                479.5 feet along the centerline of said road;
(8-9)
        Thence S.70 01'W.
                                345.1 feet along the centerline of said road;
(9-10)
(10-11) Thence S. 56 31 W.
                               124.7 feet along the centerline of said road;
                                 83.4 feet along the centerline of said road to a point
(11-12) Thence S.23<sup>0</sup>57'E.
on the southerly line of Section 28.
```

Centerline of proposed access road to Koch Exploration Co. Cedar Rim #12-4. Beginning at (point 11 above) N.62 06 W. 486.5 feet to the southeasterly corner of the Cedar Rim #12-4 drill pad.

No 4199 LABEY II PROPOSED AND EXISTING ROADS THRU PORTIONS SECTION 33, T. 35., R. 6W. DUCHESNE COUNTY, UTAH




DUCHESNE COUNTY, UTAH LEGAL DESCRIPTION Centerline of a proposed roadway (to be 30' on each side of centerline).


at a point on the northerly line of Section 33, T3S., R6W. from which the NE corner


175.3 feet;

```
of said Section 33 bears East 265.82 feet.
Thence Pt. 0-1 S.04<sup>0</sup>08'E. 352.3 feet;
1-2 S.11<sup>0</sup>51'W. 385.9 feet;
                                                                                     S.41°45'E.
                                                                                                         267.3 feet;
                                                                          16-17
                                                                                     S.42°13'E.
S.18°02'E.
                                                                                                         204.2 feet;
                                                                          17-18
                           S.11°51'W.
S.14°10'W.
S.42°24'W.
S.72°25'W.
S.87°05'W.
S.53°55'W.
S.64°20'W.
S.42°51'W.
                                                                          18-19
                                                                                                         433.1 feet;
                                                300.7 feet;
                  2-3
                                                                                     S.82000'E.
                                                                          19-20
                                                                                                         138.0 feet;
                                                120.1 feet;
                  3 - 4
                                                                                     S.26<sup>0</sup>00'E.
S.24<sup>0</sup>24'W.
S.05<sup>0</sup>01'W.
                                                                                                          63.7 feet;
                                                430.6 feet;
                                                                          20-21
                  4-5
                                                                                                         182.7 feet;
                                                                          21-22
                                                489.0 feet;
                  5-6
                                                                          22-23
                                                                                                          175.2 feet;
                                                248.7 feet;
                  6-7
                                                                                     S.18<sup>0</sup>08'W.
S.34<sup>0</sup>13'W.
S.31<sup>0</sup>11'W.
                                                                                                         110.5 feet;
                                                                          23-24
                                                420.7 feet;
                  7-8
                                                                                                         347.9 feet;
                                                                          24-25
                                                 49.0 feet;
                  8-9
                           S.02<sup>0</sup>06 E.
S.29<sup>0</sup>29 W.
S.54<sup>0</sup>02 W.
                                                                                                          288.7 feet;
                                                                          25-26
                                                 79.2 feet;
                  9-10
                                                                                     s.47°19'W.
                                                                                                          89.1 feet;
                                                                          26-27
                                                 55.5 feet;
                 10-11
                                                                                     s.62<sup>0</sup>13'W.
s.43<sup>0</sup>33'W.
s.06<sup>0</sup>35'E.
                                                                                                         432.6 feet;
                                                162.1 feet;
                                                                          27-28
                 11-12
                            s.41°52 W.
                                                                                                          103.3 feet;
                                                 94.5 feet;
                                                                          28-29
                 12-13
                            S.41°10'E
                                                                                                           72.4 feet; to cattle-
                                                122.5 feet,
                                                                          29-30
                 13-14
                                                                                     guard in the northerly right of
                            to beginning of existing
                                                                                      way of the state highway
                 road.
14-15 S.66<sup>0</sup>16'E
15-16 S.32<sup>0</sup>28'E.
                                                235.3 feet;
```

No. 4189







#### REHABILITATION PLAN

lease No.: 14-20-46	52-1322; Well Name and	No.: Cedar Rim No. 11 A				
Location: 2094' FW	L & 1707' FSL (NE\SW\)	No.: Cedar Rim No. 11 A  , Sec. 27, T. 3 S., R. 6 W.				
Koch Exploration Co	mpany	Oil Company intends to drill a well on Resources . The lessee/operator				
surface owned by St	he following rehabilit	ation work if the well is a producer:				
agrees to complete t	the following remability	Lacton work it clie wells in pro-				
/X/ Yes // No	Maintain access road	and provide adequate drainage to road.				
// Yes // No	Reshape and reseed ar	ny area not needed for maintenance of the				
	pump and support faci	ilities.				
		lan is for access road only on lands in				
Other requirements:	the E½ Section 33-T3S	-R6W, owned by the undersigned.				
The following work w	vill be completed when	the well is abandoned:				
/ / Yes / / No	Pit will be fenced ur	ntil dry, then filled to conform to				
<u> </u>	surrounding topograph					
$\sqrt{\chi}$ Yes $\sqrt{}$ No		onstructed as deemed necessary.				
$\overline{//}$ Yes $\overline{//}$ No	Site will require reshaping to conform to surrounding topography					
/ / Yes / / No	Entire disturbed area	will be reseeded. If yes, the following				
<u></u>	seed mixture will be					
/_/ v. /_/ v.	Assess mond will be	closed, rehabilitated and reseeded using				
// Yes // No	the same seed mixture					
¥						
$\sqrt{X}$ Yes $\sqrt{}$ No	Access road will rema	ain for surface owner's use.				
$/\overline{X/}$ Yes $/\overline{/}$ No	Water bars will be co	onstructed on the access road as deemed				
TAT LES TO	necessary.					
	This Rehibilitation	Plan is for access road only on lands in				
Other requirements:	the E <sup>1</sup> <sub>2</sub> Section 33-T3	S-R6W, owned by the undersigned.				
Surface Owner:		Operator/Lessee				
Socurit	y Title Company	Name: Koch Exploration Company				
000 5	t Fourth South	Address: 1225 17th St., Suite 2540				
	ke City	City: Denver				
State: Utah 8		State: Colorado 80202				
56466	63-5841 Rod Pipella	Telephone: (303) 292-4311				
Date:		Date: March 30, 1983				
I CERTIFY rehabilita	ition has been discusse	ed with me, the surface owner:				
•		Security Title Company) By:				
		(Surface owner's signature)				
		(our face owner a arguarant)				

This plan covers rehabilitation requirements only and does not affect any other agreements between the lessee/operator and surface owner.

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY CONSERVATION DIVISION

Sec	27	
T	3 S	
R	6 W	
	US	Mer.

EA # 280-83

#### INDIVIDUAL WELL RECORD

NDIAN	LAND:			Da	teA	ugust	3 <b>,</b> 198	3		Ref. N	No	
Reservat		Uinta	h-Oura	у		Sta	te		Utah			
			<b>-</b> 462-1				inty		Duchesn	e		
Lessee Koch Industries, Inc.						Fiel	d					
Operato	r Koch	Explo	ration	Compa	ny	Dis	trict		Salt La	ke Cit	у	
Well No	). 11-A					Sul	odivisior	ı	NE SW			
Drilling approved Quy 4  Drilling commenced												
							Initial production					
Complet	ted for p	roducti	on		, 19	Gra	Gravity A. P. I.					<del></del>
	Geologic	Formati		· 		Init			Horizons Depths		Conter	
•	ıtah											
YEAR	JAN.	Fев.	MAR.	Apr.	May	June	July	Aug.	SEPT.	Oct.	Nov.	DEC.
				,								
DMADEC	-1		1	,								
REMARKS									**********			



Well File - \*
State Oil & Gas
District/Vernal
Teresa

- Park Maria - Division Albertain Grandston Albertain

## DIVISION OF OIL, GAS AND MINING

## SPUDDING INFORMATION

NAME OF COMPANY	<b>/:</b> косн	H EXPLORATION	·		
WELL NAME:	CEDAR RIM	1 11A		<del></del>	
SECTION NESW	27 TOWNSHIP	3S RANGE	6W	COUNTY	DUCHESNE
DRILLING CONTRA	ACTOR CHAS	SE DRILLING		<del> </del>	
RIG #_2					
SPUDDED: DATE	9-3-83				
TIME	4:00 PM				
How_	Rotary				
DRILLING WILL O	COMMENCE	······································	_		
REPORTED BY	Grant Farley		_		
TELEPHONE #	548-2218		<del>-</del>		
DATE	9-6-83		CICNED	MAD	

14-20-462-1322

5. LEASE

# UNITED STATES DEPARTMENT OF THE INTERIOR GFOLOGICAL SURVEY

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME CEDAR RIM
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME CEDAR RIM
1. oil gas other	9. WELL NO.
2. NAME OF OPERATOR Koch Exploration Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR P 0 Box 2256 Wichita, KS 67201	CEDAR RIM  11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA SEC. 27-3S-7W, USM
below.) AT SURFACE: 2094' FWL & 1707' FSL (NE SW) AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE DUCHESNE UTAH
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO.   N/A
REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB, AND WD) GL 61041
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	e all pertinent details, and give pertinent dates, irectionally drilled, give subsurface locations and it to this work.)*
Spudded $17\frac{1}{2}$ hole on 9-3-83. Drilled $17\frac{1}{2}$ h	
13-3/8" 72# N-80 BTC casing, Set casing @ 61	5', Cemented w/550 sx Reg
w/3% CaCl, Plug Down @ 3:45 PM 9-8-83 w/1000	#, Cement circulated.
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Schmidt TITLE VP Prod/Oper.	DATESept. 8, 1983
(This space for Federal or State of	ice use)
APPROVED BY TITLE TITLE TOWNS OF APPROVAL, IF ANY:	DATE



#### **EXPLORATION COMPANY**

SEVENTEENTH STREET PLAZA SUITE 2540
1225 SEVENTEENTH STREET DENVER, COLORADO 80202
TEL. 303-292-4311



A S S S CHARLES

STAFF

PLEASE INSUAE AECORDS

September 29, 1983

State of Utah Natural Resources Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, UT 84114

#### Gentlemen:

Please be advised that Koch Exploration Company's Denver office has moved. Our new address is 1225 17th Street, Suite 2540, Seventeenth Street Plaza, Denver, Colorado 80202. Will you please change your files accordingly.


Thank you.

Yours very truly,

Robert D. Romek

Division Landman

RDR:cem



DIVISION OF OIL, GAS & MINING

# Form Approved. Budget Bureau No. 42-R1424

14-20-462-1322


5. LEASE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME Cedar Rim 8. FARM OR LEASE NAME
1. oil gas other	Cedar Rim  9. WELL NO.
2. NAME OF OPERATOR	- 11-"A"
Koch Exploration Co.  3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME  Cedar Rim
P. 0. Box 2256 Wichita, KS 67201	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 27-3S-7W, USM
AT SURFACE: 2094' FWL & 1707' FSL, (NE SW) AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE Duchesne Utah
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	N/A  15. ELEVATIONS (SHOW DF, KDB, AND WD)  GL 61041
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF	
REPAIR WELL	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
CHANGE ZONES	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertined	lirectionally drilled, give subsurface locations and
Drilled 12-1/4" hole from 615' to 7140', Ran 1	
casing. Set casing @ 7140', Cemented w/600 s	•
350 sx Reg w/2% CaCl. Plug Down @ 6:30 AM 9-	•
with 20 bbls displacement left to pump.	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED DISCHMING THE VP Prod/Ope	er. <sub>DATE</sub> Sept. 30, 1983
(This space for Federal or State of	fice use)
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE
UT - Denver	<b>∸</b>

cc-St Ute Tribe-Grant Smitty-File FORM OGC-8-X
FILE IN QUADRUPLICATE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116



# REPORT OF WATER ENCOUNTERED DIPLES DRILLING

Well Name and Number Cedar Rim #11-A
Operator Koch Exploration Company
Address P. O. Box 2256 Wichita, KS 67201
Contractor Chase Drilling Company
Address One Park Central, Suite 540 / 1515 Arapahoe St./ Denver, CO 80202
Location NE 1/4, SW 1/4, Sec. 27; T. 3 N; R. 6 K; Duchesne County
Water Sands:  Depth: From- To- Flow Rate or Head - Fresh or Salty -
1. None Found
2.
3.
4.
(Continue on Reverse Side if Necessary)
Formation Tops:

NOTE:

(a) Upon diminishing supply of forms, please inform this office.

(b) Report on this form as provided for in Rule C-20, General Rules And Regulations and Rules of Practice and Procedure.

(c) If a water quality analysis has been made of the above reported zone, please forward a copy along with this form.

O.L.Schmidt 9-8-8 VP Prod/Operations

					_
	Budget	Bureau	No.	42-R1	4
	Form A	pproved	i.		

	UNITE			
DEP	ARTMENT	OF	THE	INTERIOR
ann	GEOLOG	ICAL	SUE	RVEY

SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)  1. oil XX gas well other  2. NAME OF OPERATOR Koch Exploration Company  6. IF INDIAN, ALLOT UTE  7. UNIT AGREEMENT CEDAR  8. FARM OR LEASE N  CEDAR  9. WELL NO.  11-A	T NAME RIM IAME RIM
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)  1. oil gas well other  2. NAME OF OPERATOR  CEDAR  9. WELL NO.	RIM IAME RIM T NAME
1. oil well well other CEDAR  2. NAME OF OPERATOR  S. FARM OR EDASE IN CEDASE IN CEDAS	TNAME
2. NAME OF OPERATOR 11-A	
Koch Exploration Company	
3. ADDRESS OF OPERATOR CEDAR	
P 0 Box 2256 Wichita, KS 67201 11. SEC., T., R., M., O	R BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  AT SURFACE: 2094' FWL & 1707' FSL, (NE SW)	
AT SURFACE: 2094' FWL & I/O/' FSL, (NE SW) AT TOP PROD. INTERVAL: AT TOTAL DEPTH:  Duchesne	SH 13. STATE Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, 43-013-307	797
REPORT, OR OTHER DATA  15. ELEVATIONS (SHIP)  GL 6104	OW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO:  SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  PULL OR ALTER CASING  MULTIPLE COMPLETE  SUBSEQUENT REPORT OF:  (NOTE: Report results of change on Form	f multiple completion or zone 9–330.)
CHANGE ZONES  ABANDON*  (other) SETTING LINER	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, a including estimated date of starting any proposed work. If well is directionally drilled, give a measured and true vertical depths for all markers and zones pertinent to this work.)*	and give pertinent dates, subsurface locations and
Drilled 8-1/2" hole from 7140' to 9012', Ran 51 joints 7" 26	# N-80 LT&C casing
set at 9012', TOL @ 6944', Cemented w/685 sx C1 "H" reg, cont	taining 2/10 of
1% HR-4, PLUG DOWN @ 10 PM 10-12-83 w/2000 psi.	
	•
	•
Subsurface Safety Valve: Manu. and TypeS	
18. I hereby certify that the pregoing is true and correct	Set @ Ft.

St.Utah - Denver -Ute Tribe - Grant -Smitty - Vernon - File

(This space for Federal or State office use)

TITLE Prod.Oper.Mgr. DATE Oct. 19, 1983

October 31, 1983

### CEDAR RIM #11-A

# COMPLETION PROCEDURE

# WELL DATA:

TD 9012', 7" 26# casing @ 9012' to 6944', 9-5/8'' @ 7140', KB 6125', GL 6104'

- 1. MI & RU PU
- 2. Run  $8\frac{1}{2}$  bit & scraper to TOL @ 6944'.
- 3. Run 6-1/8" bit & scraper & drill out top of 7" liner @ 6944' & circ hole clean to FC @ 9012'. (Be sure & clean out to atleast 8800').
- 4. Run 2-7/8" tubing and National cavity, Set cavity at approximately 6890'.
- 5. Run 2-1/16" tubing and sting into cavity at 6890' w/8000# min.
- 6. Perf Wasatch thru tubing as per attached sheet, 48 intervals, 291' w/339 holes (one hole/foot). Spot 15 bbls diesel to perf thru.
- 7. Acidize w/20,000 gal 15% NE acid and 2000# BAF & 200 BS.
- 8. Test well.



October 31, 1983

# CEDAR RIM #11-A RECOMMENDED WASATCH PERFORATIONS PERF ONE HOLE/FOOT

PERF	FORATIONS:	FEET:	NO. HOLES:	PERF	ORATIONS:	FEET:	NO. HOLES:
1.	6908-251	17'	18	25.	7861-681	7'	8
2.	6966-74'	81	9	26.	7900-11'	111	12
3.	6996 -7002 '	6١	7	27.	7917-22'	5'	6
4.	7010-141	41	5	28.	7932-35'	3 1	$L_{l}$
5.	7068-72'	4 1	5	29.	7946-52'	61	7
6.	7244-50'	61	7	30.	7965-72'	7'	8
7.	7290-96'	61	7	31.	8004-15'	11'	12
8.	7298-7308	10'	11	32.	8072-90'	8 '	9
9.	7318-22'	4 1	5	33.	8112-18'	6 1	7
10.	7326-32'	6'	7	34.	8200-081	8 '	9
11.	7394-97'	3 '	4	35.	8254-581	4 1	5
12.	7402-04'	2 '	3	36.	8264-68	4 '	5
13.	7407-141	7'	. 8	37.	8308-141	61	7
14.	7444-491	5'	6	38.	8332-381	61	7
15.	7522-25'	3 '	4	39.	8348-561	7'	8
16.	7588-90'	2 '	3	40.	8374-781	41	5
17.	7600-03'	3 '	4	41.	8390-941	41	5
18.	7641-461	5'	6	42.	8404-141	10'	11
19.	7653-57'	4 1	5	43.	8478-821	4 1	5
20.	7660-62'	2 '	3	44.	8572-781	6١	7
21.	7686-92'	61	7	45.	8590-941	41	5
22.	7713-25'	12'	13	46.	8620-261	61	7
23.	7742-481	61	7	47.	8640-481	8 1	9
24.	7787-96'	91	10	48.	8704-181	6'	6
				48 11	ntervals	291'	339 holes

DEPARTMENT OF THE INTERIOR	5. LEASE 11-20-462-1322
GEOLOGICAL SURVEY	<b>6.</b> IF INDIAN, ALLOTTEE OR TRIBE NAME UTE
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME CEDAR RIM
1. oil gas well other	8. FARM OR LEASE NAME CEDAR RIM
well well other  2. NAME OF OPERATOR	9. WELL NO. 11-A
Koch Exploration Company 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME CEDAR RIM
P 0 Box 2256 Wichita, KS 67201  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 27-3S-7W, USM
AT SURFACE: 2094' FWL & 1707' FSL, (NE SW) AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE Duchesne Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO. 43-013-30797
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) GL 6104
REQUEST FOR APPROVAL TO:  SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  PULL OR ALTER CASING  MULTIPLE COMPLETE  CHANGE ZONES  ABANDON*  (other)  COMPLETE WELL  SUBSEQUENT REPORT OF:   (NOTE: Report results of multiple completion or zone change on Form 9–330.)	
(other) CUMPLETE WELL V	•

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Plan to move off drilling rig and move on pulling unit and complete

well as per attached sheets.

Subsurface Safety Valve: Manu. and Type			·	Set @	Ft.
18. I hereby certify that the foregoing is tru	e and correct			•	
SIGNED 0.L. Schmidt	TITLE VP	Prod/Oper.	DATE Oct.	. 31, 1983	
		Federal or State office u			
APPROVED BY	TITLE		DATE		· .

St.Utah-Denver Ute Tribe - Grant Smitty-Vernon-File

(other)

# LINTED STATES

SUBMIT IN DUF



Form approved. Budget Bureau No. 42-R355.5.

# DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY (See oth struction reverse)

(See other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

1 /: _	20-	ルムコー	1222	

WELL CO	MPLETION	N OR RECC	MPLET	ON	REPOR	1A T	ND LO	G*	1	N, ALLUT	TEE OR TRIBE NAM
ia. TYPE OF WE	LL: OI	L GAS WELL		RY .	Othor				7. UNIT AG	REEMENT	NAME
b. TYPE OF COM		ELL CAI WELL	ا نـــا	KY 🗀	Other				_		
NEW X		EEP- PLUG BACK	DIFF	VR	Other				S. FARM OR	R RIM	
2. NAME OF OPERA						,			CEDA	AR RIM	1
	oration Co	mpany		. 3		31 31 4 4			9. WELL NO	).	<u> </u>
3. ADDRESS OF OPE	_	Mishis	VC (70	0.1					11-4		
4. LOCATION OF WE		Wichita,	•	3 1 1 11	v State re	autrom o	m + a \ #		A .		OR WILDCAT
		1707' FSL		with an				Şirili ili		R RIM	R BLOCK AND SURVE
			(NE SW)						OR ARE		
At top prod. in	terval reported b	Delow				5 g 14 g 14 g 1	y dat		Sec.	27 <b>-</b> 3S	-6W, USM
At total depth					30797		Barrier.	15,	[		
				RMIT NO.		DATE	ISSUED	, 1	12. COUNTY PARISH		13. STATE
15. DATE SPUDDED	1 16. DATE T.D.	REACHED   17, DA		N/A Readu t	o prod.)	10 77			Duche		Utah LEV. CASINGHEAD
9-3-83	9-11-8	i i	11 <b>-</b> 17-8		p. ca.,		6104'		RT, GR, ETC.)* 6125!	10. 2.	
20. TOTAL DEPTH, MD		UG, BACK T.D., MD 8		IF MUL	TIPLE COM		23. INT	ERVALS	ROTARY TO	ols	CABLE TOOLS
9012'		8980'		HOW M	ANY.		DRI	LLED BY	XX		
24. PRODUCING INTE	RVAL(S), OF THIS	S COMPLETION-TO	P, BOTTOM,	NAME (	MD AND TV	D)*				25.	WAS DIRECTIONAL SURVEY MADE
7061 0111											<b>N</b> I
/861-8414 26. TYPE ELECTRIC		e, Wasatch				<del></del>				   27 WA	NO s well cored
DIL/SFL/GI		No.								21. "	No.
28.	() 1 D O) O N L	CAS	ING RECO	RD (Rep	ort all stri	ngs set	in well)			<u> </u>	
CASING SIZE	WEIGHT, LB.				LE SIZE			MENTING	RECORD		AMOUNT PULLED
13-3/8	72		15	17-	1/2		550 sx			-	None
9-5/8	47	7,12	+0	12-	1/4		950 sx				None
										_	
29.	!	LINER RECORD	<u> </u>				30.	<u></u>	UBING REC	OPE	
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CE	MENT*	SCREEN	(MD)	SIZE		DEPTH SET (N		PACKER SET (MD)
7	6944	9012	68	5		<del></del>	2-7/8		7800'		None
							2-1/1	6	7800'		None
31. PERFORATION REG 7861-68', 790			22-251		32.	A	CID, SHOT	FRACT	URE, CEMEN	T SQUE	EZE, ETC.
					DEPTH			i	OUNT AND KIN		
				000 gal 15% NE, 180 Ball lers & 900# BAF							
8264-68', 8308-14', 8332-38', 8348-56'					<u> </u>						
8374-781, 839	90-94', 84	04-14'(1 HF	°F,0.38'	'Jet)				·			
33.*					UCTION		<del></del>				
DATE FIRST PRODUCT	1	UCTION METHOD (	Flowing, ga	e lift, pr	ımping—si	ze and	type of pun	np)	WELL	STATUS	(Producing or
11-18-83	HOURS TESTED	Flowing	l angelet					<del></del>	Pr	oduci	
12-6-83	24	19/64	PROD'N. TEST P		оп.—вві 576		GAS—MO		WATER—BBI	L. G.	1736
FLOW. TUBING PRESS.	CASING PRESSU	RE   CALCULATED	OIL—BI	BL.	<u> </u>		1 100	WATER-		OIL GRA	VITY-API (CORR.)
1000	1000	24-HOUR RAT	E   i	576		1000	1	0			44.1
34. DISPOSITION OF G	AS (Sold, used for	r fuel, vented, etc.	)		<del>!</del>		1		TEST WITNE	SSED BY	
Sold									M. Fa	rley	
35. LIST OF ATTACH	MENTS										
36. I hereby certify	that the foregoing	ng and attached i	nformation	ic comp	ete and co	Proof of	datamin	d from	ll amplichte	ogorda	
Æ.	1 /								avanable I		
signed Ory	Zall L. Sch	nmidt	TIT	LE V	ice Pre	es. P	rod/0p	er.	DATE	<u> 12</u>	-7-83

# NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments them 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sachiston interval records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	STEP, COSHION	USED, TIME TOOL C	DEETH INTERVAL TESTED, CUSHION USED, TIME TOOL OFEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			
	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	4
			(	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
			NO CORES OR DRILL STEM TESTS	Evac. Creek	25661	
				Parachute Creek	4072 '	
				Douglas Creek	5270	
				Green Rvr Mkr	19899	
				Wasatch	, 2669	
•						1
		· · · · · · · · · · · · · · · · · · ·			:	

# DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING



DIVISION	OF OIL, GAS, AI	ND MINING	•		5. LEASE DESIGNATION 14-20-462-1	
SUNDRY NOTICE (Do not use this form for proposals to Use "APPLICATIO")	S AND REPO	RTS ON	WELLS a different reservoir.	<del></del>	6. IF INDIAN, ALLOTTE	
OIL GAS OTHER		- been propose.		<del></del>	UTE TRIBE 7. UNIT AGREEMENT N.	EKA
2. NAME OF OPERATOR				- 1	8. FARM OR LEASE NAI	V7
Koch Exploration Company					CEDAR RIM	~-
8. ADDRESS OF OPERATOR		11.1			9. WELL NO.	
P. O. Box 2256, Wichita,			The second secon		11A	
<ol> <li>LOCATION OF WELL (Report location clearly See also space 17 below.)</li> <li>At surface</li> </ol>	and in accordance wi	ith any State	requirements.*	deligiosis k esperador	10. FIELD AND POOL, O	R WILDCAT
		***************************************			CEDAR RIM	BLK. AND
	E/4 SW/4				Sec. 27-T3S-	
713=1113=211707	ELEVATIONS (Show whe	ether DF, RT, GR,	etc.)		12. COUNTY OR PARISH	
43-013-30797	GL 6104' KI	B 6125'		1	Duchesne	Utah
6. Check Approp	rigte Box To India	ate Nature	of Notice, Report,	0	L - D - 4	
NOTICE OF INTENTION	ro:				NT REPORT OF:	
TEST WATER SHUT-OFF PULL C	OR ALTER CASING	1				
FP 4 COURT MAN	PLE COMPLETE	1 1	WATER SHUT-OFF FRACTURE TREATMENT	$\vdash$	REPAIRING W	
SHOOT OR ACIDIZE ABANDO	ON* .		SHOOTING OR ACIDIZING	$\Box$	ALTERING CA ABANDONMEN	F
REPAIR WELL CHANGI	E PLANS	]	(Other)			* H
(Other) CHANGE OF  7. DESCRIBE PROPOSED OR COMPLETED OPERATION proposed work. If well is directionally of nent to this work.)*	OPERATOR X	}	(Note: Report re	esults o	f multiple completion of ion Report and Log form	n Well
OPERATOR CHANGED TO:						
Held By Production, Inc. P. O. Box 1600						
Houston, Texas 77251						
					•	
I hereby certify that the foregoing is true a	nd correct					
SIGNED Questo of Sohn	with TITLE		esident <u>ion Operation</u>	s'	DATE	<u> </u>
(This space for Federal or State office use)						
APPROVED BY	TITLE _	<del></del>			DATE	-

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING

	• • • • • • • • • • • • • • • • • • • •			
			14-20-462-	
CLINIDON NIC	TICEC ALID DEDONTO	0.1.	6. IF INDIAN, ALLOTT	
SUNDRY NO				
Use "AP!	PLICATION FOR PERMIT—" for s		Uintah & Ou	ray Ute
I. OIL GAS			T. UNIT AGREEMENT	AME
WELL WELL OTHER	l			
Held By Production, I	nc .		8. FARM OR LEASE NA	
3. ADDRESS OF OPERATOR			Cedar Rim	
P. O. Box 306, Roosev	elt, Utah 84066		11A	
4. LOCATION OF WELL (Report location of	clearly and in accordance with any State r	equirements	10. FIELD AND POOL.	OR WILDCAT
See also space 17 below.) At surface 1452 FSL & 23	307' FWL		Cedar Rim	
At proposed prod. zane Same			11. SEC., T., R., M., OR SURVEY OR A	
20				
14. API NO.	15. ELEVATIONS (Show wnether	DC 07 (2)	ne sw Sec.	
43-013-30797	6104 (GR)	Dr. RI, GR. etc.)	12 COUNTY	13. STATE
	<del></del>		Duchesne	Utah
16. Check	k Appropriate Box To Indicate	Nature of Notice, Report or Oti	her Data	
NOTICE OF INT	ENTION TO:	SUBSEQ	UENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING	WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING	CASING
SHOOT OR ACIDIZE	ABANDON	SHOOTING OR ACIDIZING	ABANDONM	ENT*
REPAIR WELL	CHANGE PLANS	(Other) Install ga	of multiple completion of	X X
(Other)	L	Completion or Recon	pleuon Report and Log	form.)
APPROX. DATE WORK WILL STA	RT	DATE OF COMPLETION	1-7-91	
		* Must be accomp ed in this relatively ctively separating gas		to
	ore they enter the pu			
produced ridids serv	ore they enter the po	ли <b>Ь•</b>		
		general control		
			001 2 1 1991	5 A
			1,5,5	
			DIVISION OF	
			. Cas a mining	
18. I hereby certify Affaithe foregoing	is true and correct		<del></del>	
SIGNED HEROT GE	LIS TITLE _	Operations Manager	DATE10-	<u> 15-91</u>
(This space for Federal or State o	ffice use)			
א מינים מינים מינים	mimi m		_	
CONDITIONS OF APPROVAL, I	F ANY:		DATE	····

Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

	BUREAU OF LAND MANAGEMENT		
	AND REPORTS ON WELLS	14204621322  6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to di Use "APPLICATION FO	U&O Ute		
	IN TRIPLICATE	7. If Unit or CA, Agreement Designation	
I. Type of Well    X Oil		8. Well Name and No.	
2. Name of Operator North Plains Corporation		Cedar Rim 11A	
3. Address and Telephone No.	303-932-1851	43-013-30797	
6638 West Ottawa Avenue, 4. Location of Well (Footage, Sec., T., R., M., or Survey D	Suite 100, Littleton, CO 80123	10. Field and Pool, or Exploratory Area Cedar Rim	
1452' FSL & 2307' FWL Sec.		11. County or Parish, State Duchesne, UT	
2. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent  Subsequent Report	Abandonment  Recompletion  Plugging Back  Casing Repair	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off	
Final Abandonment Notice	Altering Casing  Change of Operato  Other Change of Operato	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
	, 1996, North Plains Corp. has pease from Held By Production, Inator of this well.		
		. 1)	

or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES  Do not use this form for proposals to de Use "APPLICATION FO  SUBMIT  1. Type of Well  Other  2. Name of Operator Held By Production, Inc.  3. Address and Telephone No. P. O. Box 306, Roosevelt	14204621322 6. If Indian, Allottee or Tribe Name U&O Ute 7. If Unit or CA, Agreement Designation 8. Well Name and No. Cedar Rim 11A 9. API Well No. 43-013-30797 10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey E 1452 FSL & 2307 FWL Sec.		Cedar Rim 11. County or Parish, State Duchesne, UT
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Cher Change of Operator	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water  (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
interest in the well and	996, Held By Production, Inc., he the underlying lease to North te 100, Littleton, CO 80123. Nors well.	Plains Corp., 6638
14. I hereby certify that the foregoing is true and correct  Signed	Tide Operations Manager	Date January 31, 199
Approved by	Title	Date

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING



# DESIGNATION OF AGENT OR OPERATOR

The undersigned is, on record, the holder of oil and gas lease  LEASE NAME:Ute Indian Tribe and the Ute Distribution Corp.	
LEASE NAME: Ute Indian Tribe and the Ute Distribution Corp.	
LEASE NUMBER:14-20-462-1322	
and hereby designates	
NAME:NORTH PLAINS CORP.	
ADDRESS: 6638 W. Ottawa Ave., Suite 100 Hittleson	0123
as his agent _/operator X, with full authority to act in his behalf in complying with the terms applicable thereto and on whom the Division Director or Authorized Agent may serve written o compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board State of Utah with respect to:	of the lease and regulations oral instructions in securing of Oil, Gas and Mining of the
(Describe acreage to which this designation is applicable, and identify each applicable oil and gas well by name and API number. Attach additional pages a	s needed.)
T3S, R6W, USM Section 27: All	
Well: Cedar Rim #11 API#: 43-013-30352	
Well: Cedar Rim #11A API#: 43-013-30797	
It is understood that this designation of agent/operator does not relieve the lessee of responsibility of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board State of Utah. It is also understood that this designation of agent or operator does not constitute in the lease.  In case of default on the part of the designated agent/operator, the lessee will make full and procedure terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized.	e an assignment of any interest compt compliance with all rules, representative.
The lessee agrees to promptly notify the Division Director or Authorized Agent of any change i	Titils designation.
Effective Date of Designation: 02/01/96	1 ( 1)
BY: (Name) Charlos H. Kerr OF: (Company) Quintana Miner (Signature) Qualifle (Address)	
(Title) Vice Prosident-Card(legal (Admin) 601 Joff	
(Phone) 713-751-7500 (louston,	77002

# MARC T. ECKELS HELD BY PRODUCTION, INC. / QUINTANA MINERALS CORP. P. O. BOX 306 ROOSEVELT, UTAH 84066 801-722-2546 (Office) 801-722-4791 (Fax)

January 31, 1996

R. J. Firth, Associate Director for Oil & Gas Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 FEB - 6 1996

RE: Sale of Held By Production, Inc. oil and gas properties in Duchesne County to North Plains Corp.

Dear Mr. Firth:

Quintana Minerals Corporation, dba Held By Production, Inc., has sold its oil and gas properties in Duchesne County to North Plains Corp. Enclosed are Designation of Agent or Operator forms (Form 5) and Sundry Notices associated with this transaction. There are triplicate Forms 5 for each lease and a Sundry Notice from each company for every well.

Ute Tribe leases covering sections 10 and 15-T3S-R6W were not included in the sale. These leases, which include the Cedar Rim 14, 21, 10 and 10A wells have been terminated and the Tribe is in the process of granting new leases to other operators. It appears that we will shortly conclude arrangements for these new operators to take over all obligations relative to these wells.

Please contact me if you have any questions or need additional information. I have entered into a contract to operate these properties for North Plains Corp. through Applied Drilling Services, Inc. There will be no change in the local phone or P. O. Box numbers.

Sincerely yours,

Marc T. Eckels

# memorandum

DATE: February 13, 1996

REPLY TO ATTN OF: 1 /Su

Superintendent, Uintah and Ouray Agency

SUBJECT:

Change of Operator

Bureau of Land Management, Vernal District Office

To: Attention: Sally Gardiner, Division of Minerals and Mining

We have received copies of Sundry Notices and Reports on Wells (Form 3160-5), requiring BIA Action, informing this office of a change of operator for the following wells:

OPERATOR - FROM:

Held By Production, Inc.

(now, Quintana Minerals Corp.)

TO:

North Plains Corporation

### TOWNSHIP 3 SOUTH, RANGE 6 WEST, USB&M

Sec	Well Name/No.	Lease No.	
16	Cedar Rim 5	14-20-H62-4653	
16	Cedar Rim 5A	14-20-H62-4653	
21	Cedar Rim 6	14-20-462-1130	1.00
21	Cedar Rim 6A	14-20-462-1130	Separate Chg.
22	Cedar Rim 8	14-20-462-1131	/
27	Cedar Rim 11	14-20-462-1322	
27	Cedar Rim 11A	14-20-462-1322	
28	Cedar Rim 12	14-20-462-1323	
28	Cedar Rim 12A	14-20-462-1323	
29	Cedar Rim 13	14-20-462-1324	
29	Cedar Rim 13A	14-20-462-1324	
32	Cedar Rim 17	14-20-462-1327	
33	Cedar Rim 16	14-20-462-1328	
34	Cedar Rim 15	14-20-462-1329	

This office recommends a approval for the Changes of Operator for the wells listed above.

All operations will be covered under a \$75,000 Collective Bond filed with this office for Barrett Resources Corporation.

Lease No. 14-20-462-1328 expired on its own terms. No replacement lease was issued. According to the Sundry Notice for the Cedar Rim 8A well, it is under a Fee status. Therefore, we do not recommend approval for these two wells.

Page 2 Change of Operator

If you have any questions, please contact this office at (801) 722-2406, Ext. 51/52/54.

cc: Jerry Kenczka, BLM/Vernal

Energy & Minerals, Ute Tribe

Ute Distribution Corporation, Roosevelt, UT

Lisha Cordova, State of Utah Theresa Thompson, BLM/State Office

	on of Oil, Gas . ATOR CHANGE H				Routing:
		ion received by the division tem when completed. Write M	-	cable.	2-DT 58-FILE 3-VLD 4-RJF
		tor (well sold) Operator	□ Designation of □ Operator Name	-	5-11E(Lu 6-SJ ()()
The o	perator of th	he well(s) listed belo	w has changed (EFFE	CTIVE DATE: 1-	-31-96)
TO (n		NORTH PLAINS CORPORATE PO BOX 306 ROOSEVELT UT 84066 MARC T ECKELS, AGENT phone (801) 722-2546 account no. N 3435(A)		(address) <u>PO F</u> ROOS MARC	
Hell(:	S) (attach addi	tional page if needed):			
Name: Name: Name: Name:		API:	Entity: Entity: Entity: Entity: Entity:	SecTwpRr SecTwpRr SecTwpRr SecTwpRr	ng Lease Type: ng Lease Type: ng Lease Type: ng Lease Type:
Lu 1.	operator (A	CUMENTATION  -8-10) Sundry or oth ttach to this form). ( 8-10) Sundry or other this form). (Red 24	<i>Rid 2-6-90)</i> legal documentation		
	operating a	ent of Commerce has be ny wells in Utah. Is ompany file number:	s company registered	d with the state	e? (yes/no) If
1	comments se changes show	and Federal Hells O ephone Documentation ction of this form. uld take place prior t	Form to this report Management review o completion of ste	ort). Make not of <b>Federal and</b> ps 5 through 9 b	te of BLM status in I <b>ndian w</b> ell operator elow.
<u>Le</u> 5.	Changes have listed above	e been entered in the	Oil and Gas Informa	ation System (Wa	ng/IBM) for each well
Lic 6.	Cardex file	has been updated for	each well listed abo	ove.	
Lec7.	Well file la	abels have been update	d for each well lis	ted above. (2-20-	IT)
1	for distribu	e been included on the Ition to State Lands a	nd the Tax Commissic	on. (2-11-97)	
<u>lec</u> 9.	A folder has placed there	s been set up for the for reference during	Operator Change fi routing and process	le, and a copy o sing of the orig	of this page has been inal documents.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.	
ENTITY REVIEW	
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> Form 6, Entity Action Form).	ere of
N/A 2. State Lands and the Tax Commission have been notified through normal procedures entity changes.	of
BOND VERIFICATION (Fee wells only)	
(Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.	a
2. A copy of this form has been placed in the new and former operators' bond files.	
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by lett dated 19	_· er
EASE INTEREST OHNER NOTIFICATION RESPONSIBILITY	==
(Rule R615-2-10) The former operator/lessee of any <b>fee lease</b> well listed above has be notified by letter dated	ny
2. Copies of documents have been sent to State Lands for changes involving <b>State leases</b> .	
ILMING 1. All attachments to this form have been microfilmed. Date: MANCHO 14 1991	? •
ILING	
1. Copies of all attachments to this form have been filed in each well file.	
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.	or
OMMENTS	
9602010 "Partiel Chg." (Fee Lesse Wells / Non C.A.)	_
960215 "Partial Chy (CA Wells-4) BIA aprv. 2-12-96	
960206 "fartial Chg." (Fee Lease Wells / Non C.A.) 960215 "Partial Chg. (CA Wells-4) BIA aprv. 2-12-96 960216 BIA/Blm aprv. 2-13-96 (Remaining Indian Lease Wells)	

WE71/34-35



# United States Department of the Interior

# BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (801) 781-4400 Fax: (801) 781-4410

March 4, 1996

North Plains Corporation 6638 West Ottawa Avenue Suite 100 Littleton CO 80123

Re:

Well No. Cedar Rim11A Sec. 27, T3S, R6W Lease 14-20-H62-1322 Duchesne County, Utah

### Gentlemen:

This correspondence is in regard to the Sundry Notice submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, North Plains Corporation is responsible for all operations performed on the referenced well. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II

Assistant District Manager for

Minerals Resources

cc:

Held By Production, Inc.

BIA

Division Oil, Gas, & Mining

Form 3160-5 (June 1990)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED	
Budget Bureau No. 1004-013	5
Expires: March 31, 1993	

BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No. 14204621322
SUNDRY NOTICES  Do not use this form for proposals to di  Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name U&O Ute	
	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well  Oil  Well  Well  Other  2. Name of Operator		8. Well Name and No.  Cedar Rim 11A
North Plains Corporation  3. Address and Telephone No. 6638 West Ottawa Avenue,  4. Location of Well (Footage, Sec., T., R., M., or Survey E	303-932-1851 Suite 100, Littleton, CO 80123 escription)	9. API Well No. 43-013-30797  10. Field and Pool, or Exploratory Area Cedar Rim  11. County or Parish, State
1452' FSL & 2307' FWL Sec.	27-T3S-R6W, USB&M	Duchesne, UT
12. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Change of Operato	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Effective January 31	ral depths for all markers and zones pertinent to this work.)*  , 1996, North Plains Corp. has please from Held By Production, Interaction ator of this well.	
	PET.	L. DIST. DPB 3/4/96
14. I hereby certify that the foregoing is true and correct	President	Date January 31, 19
(This space for Federal or State office use)  Approved by Juny Tennegham Conditions of approval of any:	Title ASSISTANT TO A STATE TO THE STATE OF T	MAR 0 4 1996


Form 3160-5 (June 1990)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

# se Designation and Serial No.

BURLAU OF	DAND MANAGEMENT	14204621322
SUNDRY NOTICES	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
Do not use this form for proposals to dr Use "APPLICATION FO	U&O Ute	
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		
X Oil Gas Other		8. Well Name and No.
2. Name of Operator		Cedar Rim 11A
Held By Production, Inc.		9. API Well No. 43-013-30797
3. Address and Telephone No.	TT 0.4066 001 T00 05.46	
P. O. Box 306, Roosevelt		10. Field and Pool, or Exploratory Area Cedar Rim
4. Location of Well (Footage, Sec., T., R., M., or Survey D	escription)	<u> </u>
1452'FSL & 2307'FWL Sec.	27 mag new ngnew	11. County or Parish, State Duchesne, UT
1432 FSL & 2307 FWL Sec.	27-135-ROW, USB&M	bucheshe, or
12. CHECK APPROPRIATE BOX(	s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
F	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	🛛 Other Change of Operator	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	Il pertinent details, and give pertinent dates, including estimated date of starting a cal depths for all markers and zones pertinent to this work.)*	my proposed work. If well is directionally drilled,
interest in the well and	996, Held By Production, Inc., had the underlying lease to North Ete 100, Littleton, CO 80123. North well.	Plains Corp., 6638



14. I hereby certify that the foregoing is true and correct Signed 7. 900	Title Operations Manager	Date January 31, 1996
(This space for Federal or State office use)  Approved by	Title MANAGER MINERAL S	MAR 0 4 1996

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FORM 10

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 1	of	2

# MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:		<del></del>	UTA	H ACCOUNT NUME	BER: N3435	
C/O MARC T ECKELS  NORTH PLAINS CORPORATION  PO BOX 306  ROOSEVELT UT 84066			REPORT PERIOD (MONTH/YEAR): 3 / 96  AMENDED REPORT (Highlight Changes)			
Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
BROTHERSON 2-34B4						
4301330857 00289 02S 04W 34	GR-WS					
ANDERSON 1A-30B1 4301330783 00292 025 01W 30	GR-WS					
CEDAR RIM #2	GIV-W3		-5.00	(d)// 0:5	_	
4301330019 06315 03S 06W 20	GR-WS		Fee.	(\$40,000 fig.)		
CEDAR RIM 11-A	- 41. 113		1420462	1300	<del></del>	
4301330797 06316 03S 06W 27	GR-WS		Tracinox	1000		
CEDAR RIM #5			-142cH62	1/29		
4301330240 06335 03S 06W 16	GR-WS		17,2077	['''		
CEDAR RIM #6		_	1420H62	1130	96-000110	
~01330243 06340 035 06W 21	GR-WS					
LLDAR RIM #8		-	1420462	1/3/	96-000089	
4301330257 06350 03S 06W 22	GR-WS					
CEDAR RIM #12	65 46	-	1420HC-2	1323		
4301330344 06370 035 06W 28 CEDAR RIM #11:	GR-WS					
4301330352 06380 03S 06W 27	GR-WS	-	-1420H62	\ <i>1322</i>		·
CEDAR RIM #13 (	GK-M2		11/0 1/1/0	1201		
4301330353 06385 03S 06W 29	GR-WS		1420462	1329		
CEDAR RIM #16	- 411 113		1420462	1200	<del></del>	
4301330363 06390 03S 06W 33	GR-WS	<del>-</del>	1720902	1240		
CEDAR RIM 15			1420462	1329		
4301330383 06395 03S 06W 34	GR-WS		17.00 10 10	107		
CEDAR RIM 17		-	-1420H62	1327		
4301330385 06400 03S 06W 32	GR-WS		172011 1			
			TOTALS			
OMMENTS: X Fee lease Wells 2, 2 * Lease 14-20-Hle2-1129 (See separate co	1 8. 91	120	12 0 0 10 KZ4 C	Lat the 1	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
1 a west well by	- <i>A</i>	1101	ar proper	1 47 1810 7	1.72.	
* Lease 14-20-462-1129	#5 E.	5A 1	not ale	rived at th	is lime	
	$\overline{I}$		77			
(Sie Siparate O)	hange/					
1	y (					
hereby certify that this report is true and complete to	the best of my	knowledge		1	Date:	
The state of the s				•		
ame and Signature:					Telephone Number:	



# United States Department of the Interior

# **BUREAU OF INDIAN AFFAIRS**

UINTAH AND OURAY AGENCY FORT DUCHESNE, UTAH 84026 (801) 722-2406

IN REPLY REFER TO:

Ext. 51/52/54

Minerals and Mining Change of Operator

June 14, 1996

Barrett Resources Corp. Attn: Brian Kuhn North Plains Corp. Attn: Marc Ekels P. O. Box 306

1515 Araphahoe St., #1000

Roosevelt, UT 84066

Denver, CO 80202

Dear Mr. Kuhn and Mr. Ekels:

We have received copies of Sundry Notices and Reports on Wells (Form 3160-5), requiring BIA Action, informing this office of a change of operator for the following wells:

**OPERATOR - FROM:** 

North Plains Corp.

TO:

Barrett Resources Corp.

# TOWNSHIP 3 SOUTH, RANGE 6 WEST, USB&M

Sec	Well Name/No.	Well Location	Lease No.
27	Cedar Rim 11	NW/4NE/4	14-20-H62-1322
27	Cedar Rim 11A	NE/4SW/4	14-20-H62-1322
28	Cedar Rim 12	SW/4NE/4	14-20-H62-1323
28	Cedar Rim 12A	SE/4SE/4	14-20-H62-1323
29	Cedar Rim 13	SE/4NE/4	14-20-H62-1324
29	Cedar Rim 13A	SW/4SE/4	14-20-H62-1324
32	Cedar Rim 17	SW/4NE/4	14-20-H62-1327
33	Cedar Rim 16	SW/4NE/4	14-20-H62-1328
34	Cedar Rim 15	SW/4NE/4	14-20-H62-1329

This office recommended approval to BLM for the Changes of Operator for the wells listed above.

All operations will be covered under a \$75,000 Collective bond filed with this office for Barrett Resources Corp.

If you have any questions, please contact this office at (801) 722-2406, Ext. 51/52/54.

Sincerely,

Superintendent

DIV. OF OIL, CAS S MARKS

cc:

Ed Forseman, BLM/Vernal Energy & Minerals, Ute Tribe Ute Distribution Corporation, Roosevelt, UT



# United States Department of the Interior

# **BUREAU OF INDIAN AFFAIRS**

UINTAH AND OURAY AGENCY FORT DUCHESNE, UTAH 84026 (801) 722-2406

IN REPLY REFER TO:

Ext. 51/52/54

Minerals and Mining Change of Operator

June 14, 1996

Ute Tribe Energy & Minerals

Attn: Ferron Secakuku P. O. Box 70

Ft. Duchesne, Ut 84026

**Ute Distribution Corporation** 

Attn: Lois LaRose P. O. Box 696

Roosevelt, Ut 84066

Dear Joint Managers:

We have received copies of Sundry Notices and Reports on Wells (Form 3160-5), requiring BIA Action, informing this office of a change of operator for the following wells:

**OPERATOR - FROM:** 

North Plains Corp.

TO:

Barrett Resources Corp.

# TOWNSHIP 3 SOUTH, RANGE 6 WEST, USB&M

Sec	Well Name/No.	Well Location	Lease No.
27	Cedar Rim 11	NW/4NE/4	14-20-H62-1322
27	Cedar Rim 11A	NE/4SW/4	14-20-H62-1322
28	Cedar Rim 12	SW/4NE/4	14-20-H62-1323
28	Cedar Rim 12A	SE/4SE/4	14-20-H62-1323
29	Cedar Rim 13	SE/4NE/4	14-20-H62-1324
29	Cedar Rim 13A	SW/4SE/4	14-20-H62-1324
32	Cedar Rim 17	SW/4NE/4	14-20-H62-1327
33	Cedar Rim 16	SW/4NE/4	14-20-H62-1328
34	Cedar Rim 15	SW/4NE/4	14-20-H62-1329

This office recommended to the BLM approval for the Changes of Operator for the wells listed above.

All operations will be covered under a \$75,000 Collective bond filed with this office for Barrett Resources Corp.

If you have any questions, please contact this office at (801) 722-2406, Ext. 51/52/54.

Sincerely,

Superintendent

Theresa Thompson, BLM/SLC cc: Lisha Cordova, DOGM/State of Utah



DATE:

June 14, 1996

REPLY TO ATTN OF:

Superintendent, Uintah and Ouray Agency

SUBJECT:

Concurrance for Approval for Change of Operator

то:

Bureau of Land Management, Vernal District

We have received copies of Sundry Notices and Reports on Wells (Form 3160-5), requiring BIA Action, informing this office of a change of operator for the following wells:

**OPERATOR - FROM:** 

North Plains Corp.

TO:

Barrett Resources Corp.

# TOWNSHIP 3 SOUTH, RANGE 6 WEST, USB&M

Sec	Well Name/No.	Well Location	Lease No.
27	Cedar Rim 11	NW/4NE/4	14-20-H62-1322
27	Cedar Rim 11A	NE/4SW/4	14-20-H62-1322
28	Cedar Rim 12	SW/4NE/4	14-20-H62-1323
28	Cedar Rim 12A	SE/4SE/4	14-20-H62-1323
29	Cedar Rim 13	SE/4NE/4	14-20-H62-1324
29	Cedar Rim 13A	SW/4SE/4	14-20-H62-1324
32	Cedar Rim 17	SW/4NE/4	14-20-H62-1327
33	Cedar Rim 16	SW/4NE/4	14-20-H62-1328
34	Cedar Rim 15	SW/4NE/4	14-20-H62-1329

This office recommends approval for the Changes of Operator for the wells listed above.

All operations will be covered under a \$75,000 Collective bond filed with this office for Barrett Resources Corp.

If you have any questions, please contact the Minerals and Mining Office at (801) 722-2406, Ext. 51/52/54.

Dudle Hames



# United States Department of the Interior

# BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (801) 781-4400 Fax: (801) 781-4410

IN REPLY REFER TO: 3162.3 UT08300

July 2, 1996

Barrett Resources Corporation 1515 Arapahoe Street Suite 1000 Denver CO 80202

Re:

Well No. Cedar Rim 11A NESW, Sec. 27, T3S, R6W Lease 14-20-H62-1322 Duchesne County, Utah

# Gentlemen:

This correspondence is in regard to the Sundry Notice submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Barrett Resources Corporation is responsible for all operations performed on the referenced well. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II

Assistant District Manager for

Minerals Resources

cc:

North Plains Corporation

RΙΔ

Elipsing following & Ministre

JUL 1 0 1996

DIV. OF OIL, GAS & MINING



Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993


5. Lease Designation and Serial No.

14204621322 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals U & O Ute 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well 8 Well Name and No. Oil Well Cedar Rim 11A 2. Name of Operator 9. API Weil No. Barrett Resources Corporation (303) 572-3900 43-013-30797 3. Address and Telephone No. 10. Field and Pool, or Exploratory Area 80202 1515 Arapahoe Street, Ste. 1000, Denver, CO Cedar Rim 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State 1452' FSL & 2307' FWL Sec. 27-T3S-R6W, USB&M Duchesne. UT CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Change of Plans Notice of Intent Abandonment New Construction Recompletion Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing Change of Operator Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form. 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled. give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Effective March 1, 1996, Barrett Resources Corporation has purchased this well and

the underlying lease from North Plains Corporation. Barrett Resources Corporation will now be the operator of this well, effective May 15, 1996.

DECEIVE JUL 1 0 1996 DIV. OF OIL, GAS & MINING



hereby certify that the foregoing is true and correct	BA7- Title_	Attorney in Fact	Date	5/14/96
This space for Federal or State office used	Title	Assistant Field Manager Mineral Resources	Date	JUL 0 2 1996



Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR


BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No

DONE		
Do not use this form for proposals to	S AND REPORTS ON WELLS  drill or to deepen or reentry to a different reservoir.  OR PERMIT—" for such proposals	14204621322 6. If Indian, Allonee or Tribe Name U & O Ute
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
I. Type of Weil    X Oil   Gas   Other   2. Name of Operator   Other		8. Well Name and No.  Cedar Rim 11A
North Plains Corporation 3. Address and Telephone No. 6638 W. Ottawa Ave., Ste. 100	9. API, Well No. 43-013-30797 10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey  1452' FSL & 2307' FWL Sec. 27		Cedar Rim  11. County or Parish, State  Duchesne, UT
2. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Altering Casing  Other Change of Operator	Conversion to Injection  Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true verting the subsurface locations and	all pertinent details, and give pertinent dates, including estimated date of starting cal depths for all markers and zones pertinent to this work.)*  North Plains Corporation, has sold all ng lease to Barrett Resources Corporati	of its interest in

corporation, 1515 Arapahoe Street, Suite 1000, Denver, Colorado 80202. Barrett Resources Corporation is now the operator of this well, effective May 15, 1996.



the south of the same and the s	
VERNAL DIAT	
VERNAL DIBT	1
PROL.	-!
E.S.	-
PET.	-
	-
A.M.	

opoppopi 982 7 3 1998

Signed Signed Signed	Tille President	Date 5/14/96
Approved by Conditions of approval, if any	Assistant Field Manager Title Mineral Resources	Date 491 6 2 1596

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining	
OPERATOR CHANGE	V

\dons\wpdocs\lorms\operchag

# **VORKSHEET**

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing.	
1-LEC	6-ILEC-
2 <del>-GLH</del>	7-KDR
3-DPS/015	8-SJ V
4-VLD	9-FILE
5-RJF	

								5-1	RJF 🗸	
	Change of O Designation	• `	,		gnation of A rator Name	_	Only			
The	operator of t	he well(s) li	sted below h	as change	d, effective:	3-1-	96	-		
TO:	(new operato	r) BARRETT	RESOURCES	CORP	FROM:	(old one)	rator)	NORTH PL	AINS COR	P
	` -	,	APAHOE ST T		_ 110		•			E STE 100
	`.	DENVER			<del>-</del>	•	, -	LITTLETO		123
		Phone:	(303)606-42	259	_		ĩ	Phone: (3	03)932-1	Q 5 1
			no. <u>N9305</u>		•				10. <u>N343</u>	
WEI	LL(S) attach add	ditional page if	needed:	C	C.A. 96-000	0110 & 9				
NI	. **SEE ATTA	CHED**	ADI 19-1	12-21.96	"In a	0	Tr.			
Name Name	·		API: <u>(*) (;</u> API:	10 0011	Entity: Entity: Entity: Entity: Entity: Entity: Entity: Entity:	— s –	_ T -	R _ R _		
Name					Entity:	s _	– † -	R _	Lease:	
Name					Entity:	s _	- <u>-</u> -	R	Lease:	
Name					Entity:	s	_ <sub>T</sub> -	R	Lease:	
Name			API:		Entity:	s	_ T _	R	Lease:	
Name	:		API:		Entity:	S	_ T _	R	Lease:	
Lic.	(attach to	this form).	or other legal	96)						
	3. The Depa any wells file numb	rtment of Co in Utah. Is	ommerce has the compan	s been cont y registere	tacted if the	new operstate? (y	rator al es/no)	bove is no	ot currentl f yes, sho	y operating w company
Ý <u>Lic</u>	Make not operator	e of BLM sta changes sho	EDERAL Watus in commould ordinar	nents section rily take p	on of this for place prior	rm. BLM to the o	l appro division	val of Fed	deral and	Indian well
(/ (1.2	5. Changes l	iave been er	ntered in the	Oil and G	as Informa	tion Syste	em (32'	70) for ea	ch well lis	sted above.
J.C	5. Changes I	e has been i	updated for	each well	listed above	e. 74.19.97	、 ク	,		
Lice	7. Well file I		been updated					)		
<u>Lic</u>	8. Changes l distributio	nave been in on to Trust I	icluded on that	he monthl eign Land:	y "Operato: s, UGS, Ta:	r, Addres x Commi	s, and ssion, e	Account	Changes"	memo for
KC	9. A folder h	as been set	up for the O	perator C	hange file, a	and a cop	y of th	is page ha	as been pl	laced there

- OVER -

OPERATO	OR CHANGE WORKSHEET (continued) - Initial each item when completed. Write N/A if item is not applicable.
ENTITY	' REVIEW
<u>Le</u> 1.	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity change made? (yes/no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
N/A 2.	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedure of entity changes.
	VERIFICATION - (FEE WELLS ONLY)
<u>N/A-/</u> 1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
/Lec.	A copy of this form has been placed in the new and former operator's bond files.
3.	The FORMER operator has requested a release of liability from their bond (yes/no), as o today's date If yes, division response was made to this request by letter dated
<u>v/1</u> 1.	Copies of documents have been sent on to at Trus Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
FILMIN	
<u>M</u> 1.	All attachments to this form have been microfilmed. Today's date: Myst 8, 1990.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
СОММІ	ENTS

FORM 3160-5		FORM APPROVED	_
(JUNE 199°) UNITED STAT		Budget Bureau No. 1004-0135	
DEPARTMENT OF THE I BUREAU OF LAND MA		xpires: March 31, 1993  5. Lease Designation and Serial No.	
		14204621322	
SUNDRY NOTICES AND REP	PORTS ON WELLS	6. If Indian, Alottee or Tribe Name	
Do not use this form for proposals to drill or to d	leepen or reentry to a different reservoir.		
Use "APPLICATION FOR PE	ERMIT" for such proposals	UTE TRIBE	
OVERNIT IN TRUE (O.		7. If Unit or CA, Agreement Designation	
1. Type of Well	A/E		
Oil Gas		8. Well Name and No.	
X Well Well Other		CEDAR RIM 11A	
2. Name of Operator		9. API Well No.	
BARRETT RESOURCES CORPORATI	ION:	43-013-30797	
3. Address and Telephone No.		10. Field and Pool, or Exploratory Area	
1515 ARAPAHOE ST, TOWER 3, #100		CEDAR RIM	
4. Location of Well (Footage, Sec., T., R., M., or St	11. County or Parish, State		
1707' FSL 2094' FWL NESW SECTION 27-T3S-R6W		DUCUESNE COUNTY LITALI	
	O INDICATE NATURE OF NOTICE, REPORT, OR OTHER	DUCHESNE COUNTY, UTAH	
TYPE OF SUBMISSION	TYPE OF ACT		
X Notice of intent	Abandonment	Change of plans	
	Recompletion	New Construction	
Subsequent Report	Plugging Back	Non-Routine Fracturing	
_	Casing Repair	Water Shut-Off	
Final Abandonment Notice	Altering Casing	Conversion to Injection	
•	X Other CHANGE OF OPERATOR	Dispose Water	
		(Note: Report results of multiple completion on Well  Completion or Recompletion Report and Log form.)	
·	RRETT RESOURCES CORPORATION WILL RELINCED WELL TO COASTAL OIL AND GAS CORP		
14. I hereby certify that the foregoing is true and corn	rect		
1 1-1-1			
Signed Joseph Barre	TITLE Sr. Vice-President, Land		
(This grows for F. A. A. Start, Co.	TITED DIT THE ITEMENT, BUILD	Date 12/22/99	
(This space for Federal or State office use)	Minds St. vice Medicin, Sand	Date 12/22/99	
Approved by	JAN THE ATEMORY DATE	Date 12/22/99	
Approved by	Title	Date 12/22/99	
Conditions of approval, if any:			
Conditions of approval, if any:	Title	Date	
Conditions of approval, if any:		Date	

and the first of the second

Form: 3:60-5 (November 1994)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED		
Budget Bureau No.	1004-013	
Expires July 31.	1996	

	U 37420	10	1	A Her	<u> </u>	$L^{\zeta \zeta \lambda}$
--	---------	----	---	-------	----------	---------------------------

BUREAU OF I	LAND MANAGEMEN	NT .	5. Lease Se	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
SUNDRY NOTICES AND REPORTS ON WELLS			<u>U 37420</u>	
Do not use this form for abandoned well. Use Form	proposals to drill or to i n 3160–3 (APD) for suc	re-enter an ch proposals.	6. If Indian,	Allottee or Tribe Name
SUBMIT IN TRIPLICATE -	- Other instructions on	reverse side	7. If Unit of	r CA/Agreement, Name and/or No.
1. Type of Well Oil X Gas Well Vell Other			8. Well Nar Cedar Ri	
2. Name of Operator  Coastal Oil & Gas Corporation	Attn: Cheryl Ca		9. API Well	
3a. Address P. O. Box 1148 Vernal, Utah 84078	1	Phone No. (include area of 5-781-7023	10 010 0	0797-00 ad Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Descri	<u> </u>			i , , , , , , , , , , , , , , , , , , ,
S27-T3S-R6W NESW			11.0	- Dariok Chata
			Duchesne	or Parish, State . Utah
1000000	LATE BOY/EQ. TO INDIC	NATE NATURE OF NO	TICE, REPORT, OR OTHER	
12. CHECK APPROPR	TATE BOX(ES) TO INDIC			
TYPE OF SUBMISSION		1 1 1	PE OF ACTION	
X Notice of Intent	Acidize	Deepen	Production (Start/Resume	Water Shut-Off
	Alter Casing	Fracture Treat	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	X Other Change of
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	<u>Operator</u>
13. Describe Proposed or Coommpleted Operation (clear If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations. It testing has been completed. Final Abandonment Metermined that the final site is ready for final inspection Please be advised Coastal Oil &	reformed or provide the Bond for the operation results in a magnitude of the order shall be filed only a n.)  Gas Corporation at	No. on file with BLM/ nultiple completion or receiver all requirements, inc	BIA. Required subsequent repo ompletion in a new interval, a luding reclamation, have been Vernal, Utah 84078	rts shall be filed within 30 days Form 3160-4 shall be filed once completed, and the operator has
the operations conducted upo	nced well and is r	esponsible under	the terms and cond	itions of the lease
Effective date of change is $\operatorname{Jan}$	uary 1, 2000			
BLM bond coverage is provided by	U605382-9.			
Utah state bond coverage is U264	4534. State operat	or number is 171		
				型 (A) (TV)
Please contact Cheryl Cameron at	: 435-781-7023 if y	ou have any ques	stions.	
14. I hereby certify that the foregoing is true and correct		Title		<del></del>
Name (Printed/Typed) John T. Elzner		Vice Pres	sident	
m 7/2		Date		
TH	IS SPACE FOR FEDE	RAL OR STATE OF	FICE USE	
Approved by		Title		Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office

# nited States Department of the Bureau OF Indian Affairs



Uintah and Ouray Agency
P. O. Box 130
988 South 7500 East

Fort Duchesne, Utah 84026-0130
Phone: (435) 722-4300 Fax: (435) 722-2323

IN REPLY REFER TO:	FILE NO.	
Minerals and Mining	File Under	]
Phone: (435) 722-4310		October 29, 2000
Fax: (435) 722-2809	☐ Input Sheets	
	☐ Division Orders	
Coastal Oil & Gas Corporation	☐ Title And Curative	
Attn: Carroll Wilson	. DLease	
Vernal, UT 84078	Correspondence	
	□ Other	
Dear Mr. Wilson:	☐ Analyst	

Transmitted herewith for your records are Assignment(s) of Mining Lease for Oil and Gas Lease No.(s) listed below. These assignment(s) were approved on February 24, 2000, for record title only as indicated in our files.

LEASES NO.(S) 14-20-H62-1822, 1823, 1824, 1825, 2881, 2882, 2913, 2914, 2927, 2928, 2955, 2956, 2957 (Allotted Leases) 14-20-462-1130, 1131, 1322, 1323, 1329, 14-20-H62-1723, 1724, 1801, 1802, 1803, 1804, 1806, 1807, 1809, 1810, 2463, 2873, 2874, 2894, 2895, 2907, 3436, 4531, 4653, 4664, 4672, 4780 (JM leases)

ASSIGNOR:

Barrett Resources Corp.

ASSIGNEE:

Coastal Oil & Gas Corporation

We have enclosed a listing of the Record Title Interest – By Lease, according to our records. This shows the companies who own an interest in these leases, and their percentage of interest. If our records differ from yours, please notify this office immediately, so that we can make any necessary corrections.

As a reminder, we would like to inform you of Paragraph (h) in all Oil and Gas Leases:

"Assignment. No to assign, sublet, or transfer this lease or any interest herein by an operating agreement or otherwise before restrictions are removed, except with the written approval of the Superintendent...".

and, 25 Code of Federal Regulations, Part 211.26, and Part 212.22, Assignments and Overriding Royalties.

Page 2
Assignments of
Mining Leases

(a) Approved leases or any interest therein may be assigned or transferred only with the approval of the Secretary of the Interior, and to procure such approval the assignee must be qualified to hold such lease under existing rules and regulations and shall furnish a satisfactory bond conditioned for the faithful performance of the covenants and conditions thereof:

*Provided*, That in order for such assignment to receive favorable consideration the lessee shall assign either his whole interest or an undivided interest in the whole lease.

(b) No Lease or interest therein or the use of such lease shall be assigned, sublet, or transferred, directly or indirectly by working or drilling contract, or otherwise, without the consent of the Secretary of the Interior.

We apologize for the long process of these assignments. If you have any questions, please contact the Minerals and Mining Office.

Sincerely,

Minerals and Mining for Superintendent

(Clan Mitchell)

**Enclosures** 

# nited States Department of the BUREAU OF INDIAN AFFAIRS



Uintah and Ouray Agency
P. O. Box 130
988 South 7500 East
Fort Duchesne, Utah 84026-0130

Phone: (435) 722-4300 Fax: (435) 722-2323

FILE NO.	
File Under	1
	October 29, 2000
☐ Input Sheets	
☐ Division Orders	
☐ Title And Curative	
. Lease	
Correspondence	
□ Other	
☐ Analyst	
	File Under  Input Sheets Division Orders Title And Curative Lease Correspondence Other

Transmitted herewith for your records are Assignment(s) of Mining Lease for Oil and Gas Lease No.(s) listed below. These assignment(s) were approved on February 24, 2000, for record title only as indicated in our files.

LEASES NO.(S) 14-20-H62-1822, 1823, 1824, 1825, 2881, 2882, 2913, 2914, 2927, 2928, 2955, 2956, 2957 (Allotted Leases) 14-20-462-1130, 1131, 1322, 1323, 1329, 14-20-H62-1723, 1724, 1801, 1802, 1803, 1804, 1806, 1807, 1809, 1810, 2463, 2873, 2874, 2894, 2895, 2907, 3436, 4531, 4653, 4664, 4672, 4780 (JM leases)

**ASSIGNOR:** 

Barrett Resources Corp.

**ASSIGNEE:** 

Coastal Oil & Gas Corporation

We have enclosed a listing of the Record Title Interest – By Lease, according to our records. This shows the companies who own an interest in these leases, and their percentage of interest. If our records differ from yours, please notify this office immediately, so that we can make any necessary corrections.

As a reminder, we would like to inform you of Paragraph (h) in all Oil and Gas Leases:

"Assignment. No to assign, sublet, or transfer this lease or any interest herein by an operating agreement or otherwise before restrictions are removed, except with the written approval of the Superintendent...".

and, 25 Code of Federal Regulations, Part 211.26, and Part 212.22, Assignments and Overriding Royalties.

Page 2
Assignments of
Mining Leases

(a) Approved leases or any interest therein may be assigned or transferred only with the approval of the Secretary of the Interior, and to procure such approval the assignee must be qualified to hold such lease under existing rules and regulations and shall furnish a satisfactory bond conditioned for the faithful performance of the covenants and conditions thereof:

*Provided*, That in order for such assignment to receive favorable consideration the lessee shall assign either his whole interest or an undivided interest in the whole lease.

(b) No Lease or interest therein or the use of such lease shall be assigned, sublet, or transferred, directly or indirectly by working or drilling contract, or otherwise, without the consent of the Secretary of the Interior.

We apologize for the long process of these assignments. If you have any questions, please contact the Minerals and Mining Office.

Sincerely,

Minerals and Mining for Superintendent

(Cland Mitchell)

**Enclosures** 

### EORM 0

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	FORM 9
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	€ 1F INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO ORILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	Exhibit "A"
El Paso Production Oil & Gas Company	9. API NUMBER:
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
3 South 1200 East CITY Vernal STATE Utah ZIP 84078 435-789-4433	
FOOTAGES AT SURFACE:	COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
CHECK ADDRODDIATE DOVES TO INDICATE MATURE OF MOTION DEPO	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION  ACIDIZE DEEPEN	
U NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
Associated to the state of the	SIDETRACK TO REPAIR WELL
in an obstitution	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESIUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL-SITE	X OTHER: Name Change
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	ies, etc.
As a result of the merger between The Coastal Corporation and	a wholly owned
subsidary of El Paso Energy Corporation, the name of Coastal (	Oil & Gas Corporation
has been changed to El Paso Production Oil & Gas Company effe	ctive March 9, 2001.
See Exhibit "A"	
Bond # 400JU0708	
Coastal Oil & Gas Corporation	ont
NAME (PLEASE PRINT John T Elzner TITLE Vice Preside	enc
SIGNATURE DATE U6-15-01	
El Paso Production Oil & Gas Company	
NAME (PLEASE PRIMT) John T Elzner TITLE Vice Presid	lent
SIGNATURE DATE 06-15-01	


RECEIVED

JUN 19 2001

# State of Delaware Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.



#IN . 2001

DIVISION OF OIL, GAS AND MINING



Warriet Smith Windson, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

# CERTIFICATE OF AMENDMENT

#### OF

# CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall Vice President

Attest:

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

IUN 19 2001

DIVISION OF OIL, GAS AND MINING



# United States Department of the Interior

#### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

# RECEIVED

JUL 1 2 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001 -

#### **NOTICE**

El Paso Production Oil & Gas Company

Oil and Gas

Nine Greenway Plaza

Houston TX 77046-0095

•

#### Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from <u>Coastal Oil & Gas Corporation</u> to <u>El Paso Production Oil & Gas Company</u>. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta Acting Chief, Branch of Minerals Adjudication

#### Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114 Teresa Thompson (UT-922)

Joe Incardine (UT-921)

Form 3160-5 (August 1999)

# DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135

Expires Jnovember 30, 2000

Lease Serial No.

SUNDRY I	NOTICES AND REPORT	S ON W	ELLS		14-20-462-1322	
Do not use this	form for proposals to	drill o	r reenter a	n	6. If Indian, Allottee	or Tribe Name
abandoned well.	Use Form 3160-3 (APD)	for suc	h proposal:	s.	UTE TRIBE	
			<del> </del>			reement, Name and/or No.
SUBMIT IN TRIPL	ICATE – Other instru	ctions	on reverse	e side		
1. Type of Well						
X Oil Well Gas Well	Other				8. Well Name and N	
2. Name of Operator					CEDAR RIM 11.	Α
BARRETT RESOURCES CO						
WILLIAMS PRODUCTION F	RMT COMPANY, INC.				9. API Well No.	
3a. Address		3b. Ph	one No. (includ	de area code)	43-013-30797	
1515 ARAPAHOE ST. TOW	ER 3, SUITE #1000	1				
DENVER, CO 80202			572-3900		10. Field and Pool, or	r Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description	on)			CEDAR RIM	
1707' FSL & 2094' FWL					11. County or Parish,	State
NESW SEC. 27, T3S, R6W					DUCHESNE CO	OUNTY. UT
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICAT	TE NATURE	OF NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION			TYl	PE OF ACTION	1	
Notice of Intent	Acidize	Dee	pen	Production	(Start/Resume)	Water Shut-Off
_	Alter Casing		ture Treat	Reclamation	=	Well Integrity
Subsequent Report	Casing Repair		Construction	Recomplet	-	Other SUCCESSOR OF
	Change Plans		g and Abandon	Water Disp	· —	PERATOR
Final Abandonment Notice  13. Describe Proposed or Completed Ope	Convert to Injection		g Back			
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for fin	rk will be performed or provide operations. If the operation result bandonment Notices shall be file all inspection.  D. BARRETT RESOURCE	the Bond lats in a made only aft	No. on file with altiple completion or all requireme	BLM/BIA. Requing or recompletion on recompletion onto, including rectangular r	red subsequent reports slin a new interval, a Formunation, have been comparts.  MS PRODUCTION	nall be filed within 30 days n 3160-4 shall be filed once pleted, and the operator has RMT COMPANY, INC)
WILL RELINQUISH THE OPER	RATORSHIP OF THE RE	FEREN	JED WELL	IO COASTAL	OIL AND GAS CO	RPORATION.
						-
						-
1.	-					
		*				
(2.1.1/2		Titl		Attorney-	-in-Fact	
Name (Printed/Typed)  JOSEPH P. BARRETT		1111	е	_		txArtM®)
C'		Dat	e	Carlinatava		
Signature		API	RIL 15,2002	2	_	
		E FOR F	EDERAL OR	STATE USE		
Approved by		<del>=</del>	Title		Date	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct	itable title to those rights in the su	warrant or bject lease	Office			

. Form 3160-5 (August 1999)

# UN D STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

BURI	EAU OF LAND MANAC	EMEN I			<ol><li>Lease Serial</li></ol>	No.
SUNDRY	NOTICES AND REPORT	S ON WELLS			14-20-462-1	322
Do not use this	form for proposals to	drill or reen	ter an	Ī	6. If Indian, A	llottee or Tribe Name
abandoned well. Use Form 3160-3 (APD) for such proposals.						
SUBMIT IN TRIPL	ICATE – Other instruc	ctions on rev	erse sid		7. If Unit or C.	A/Agreement, Name and/or No.
1. Type of Well						
X Oil Well Gas Well	Other			;	8. Well Name	and No.
2. Name of Operator					CEDAR RIM	1 11A
EL PASO PRODUCTION OF	L & GAS COMPANY				9. API Well N	0.
3a. Address		3b. Phone No.	(include area		<del>1</del> 3-013-3079	
P.O. BOX 1148 VERNAL, U	T 84078	(435) 781-70	23	1	0. Field and Po	ool, or Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Descriptio	n)			CEDAR RIM	1
				1	1. County or P	arish, State
1707' FSL & 2094' FWL NESW SEC. 27, T3S, R6W					DUCHESNE	COUNTY, UT
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE NAT	URE OF N	OTICE, RE	PORT, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF	ACTION		
■ Notice of Intent	Acidize	Deepen	=		Start/Resume)	Water Shut-Off
Subsequent Report	Alter Casing Casing Repair	Fracture Trea  New Constru	ction 🔲	Reclamation Recomplete		Well Integrity  Other
	Change Plans	Plug and Aba		Temporarily		SUCCESSOR OF
Final Abandonment Notice	Convert to Injection	Plug Back		Water Dispos		OPERATOR
13. Describe Proposed or Completed Oper If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fin.	Ily or recomplete horizontally, gively will be performed or provide to perations. If the operation resultant and onment Notices shall be filed	ve subsurface locati he Bond No. on fil- ts in a multiple con	ons and measu e with BLM/E	ured and true of BIA. Required completion in	vertical depths of d subsequent repa a new interval, a	f all pertinent markers and zones.  orts shall be filed within 30 days a Form 3160-4 shall be filed once
COASTAL OIL & GAS CORPO	RATION IS CONSIDEREI	O TO BE THE	OPERATO	R ON THE	ABOVE DE	SCRIBED LANDS
AND IS RESPONSIBLE UNDER						
ON THE LEASED LANDS OR F						
NATIONWIDE BOND NO. 1140						
COASTAL OIL & GAS CORPOREL PASO PRODUCTION OIL & THE TERMS AND CONDITION PORTIONS THEREOF, BOND 103601473, EFFECTIVE MAY	GAS COMPANY ON TH S OF THE LEASE FOR T COVERAGE FOR THIS V	E ABOVE DES THE OPERATIO	CRIBED L	ANDS AND	D IS RESPO ON THE LEA	NSIBLE UNDER SED LANDS OR
14. I hereby certify that the foregoing	s is true and correct					
Name (Printed/Typed)		Title		ODE	DATIONS	
CHERYL CAMERON		Data		OPE	RATIONS	
Signature		Date APRIL 15,	2002			7
	THIS SPACE	FOR FEDERAL	OR STATE	EUSE		
Approved by		Title			Date	
Conditions of approval, if any, are attached certify that the applicant holds legal or equi which would entitle the applicant to conduct	table title to those rights in the sub	varrant or Office ject lease				

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# **United States Department of Interior**

#### **BUREAU OF INDIAN AFFAIRS**

Uintah and Ouray Agency P. O. Box 130

988 South 7500 East Fort Duchesne, Utah 84026-0130

Phone: (435) 722-4300 Fax: (435) 722-2323

IN REPLY REFER TO: Real Estate Services Phone: (435) 722-4310 Fax: (435) 722-2809

JUN 0 5 2002

El Paso Production Oil & Gas Company

Attn: Cheryl Cameron

PO Box 1148

Vernal, UT 84078

Dear Ms. Cameron:

We have received copies of Sundry Notices, dated April 15, 2001, informing this office of a change of operator for the following wells:

**OPERATOR-FROM:** 

Barrett Resources Corp. (Now known as Williams

Production RMT Corporation)

TO:

Coastal Oil and Gas Corporation (Now known as El Paso

Production Oil & Gas Company)

Legal Description	Lease No.	Well No.	Location
SEC. 27-T3S-R6W	14-20-H62-1322	Cedar Rim 11	NENE
SEC. 27-T3S-R6W	14-20-H62-1322	Cedar Rim 11A	NESW
SEC. 28-T3S-R6W	14-20-H62-1323	Cedar Rim 12	SWNE
SEC. 28-T3S-R6W	14-20-H62-1323	Cedar Rim 12A	SESE
SEC. 33-T3S-R6W	14-20-H62-1328	Cedar Rim 16	SWNE
SEC. 34-T3S-R6W	14-20-H62-1329	Cedar Rim 15	SWNE
SEC. 19-T1S-R2W	14-20-H62-1751	Ute-4-19A2	NWSE
SEC. 24-T1S-R3W	14-20-H62-1761	Ute-7-24A3	NWSE
SEC. 7-T3S-R5W	14-20-H62-2389	Salaratus Wash 1-7C5	SWNE
SEC. 12-T3S-R6W	14-20-H62-2463	Ute Tribal E 1-12C6	SWNE
SEC. 12-T3S-R6W	14-20-H62-2463	Ute Tribal E 2-12C6	SWSW

SEC. 7-T1S-R2W	14-20-H62-2811	Ute 1-7A2	NESW
SEC. 35-T3S-R6W	14-20-H62-3436	BH Ute 1-35C6	SWNE
SEC. 12-T4S-R5W	14-20-H62-4531	Ute Tribal 16-12	SESE
SEC. 1-T1S-R3W	14-20-H62-4664	Unity Ouray 1-1A3	NWSE
SEC. 10-T3S-R6W	14-20-H62-4707	Cedar Rim 14	SWNE
SEC. 10-T3S-R6W	14-20-H62-4707	Cedar Rim 21	SESE
SEC. 25-T3S-R7W	14-20-H62-4707	BLEY 2X-25C7	NESW
SEC. 1-T3S-R6W	14-20-H62-4780	Ute Tribal 1-1C6	NWSE
SEC. 3-T3S-R4W	14-20-H62-4869	Duchesne County UTE-1-3-C4	SENW
SEC. 5-T4S-R5W	14-20-H62-4869	Ute Tribal 5-1	S/2 SENW
SEC. 25-T3S-R6W	14-20-H62-4875	Ute Tribe 1-25C6	SWNE
SEC. 25-T3S-R6W	14-20-H62-4875	Ute Tribal 2-25C6	NESW

This office concurs with the change of operator. All operations will be covered under El Paso's Bond filed with this office, for those wells on trust property.

Please be advised that approval of this Change of Operator does not replace the Lessee(s) of Record, nor does it relieve the Lessee(s) of Record of their responsibilities according to lease terms and conditions.

If you have any questions regarding the above, please contact the Real Estate Office at (435) 722-4310.

Sincerely,

Sgd William Ditahywy

Acting Superintendent

DMITCHELL/pcblack:060402
Agency Chrono
Real Estate Chrono
File Copy
Jerry Kenczka, BLM/Vernal
Energy & Minerals, Ute Tribe
Ute Distribution Corporation, Roosevelt, UT
Lisha Cordova, State of Utah
Theresa Thompson, BLM/State Office

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. CDW 2. FILE

## X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) li	sted below has changed, effective:	01-01-2000				
FROM: (Old Operator):	TO: (New Operator)	TO: (New O	perator):		,	
BARRETT RESOURCES CORP	COASTAL OIL & GAS CORP	EL PASO PRO	DUCTION	OIL & GA	S COMPA	ANY
Address: 1515 ARAPAHOE ST	Address: P O BOX 1148	Address: P O I			···	
TOWER 3 STE 1000						
DENVER, CO 80202	VERNAL, UT 84078	VERNAL, UT	84078			
Phone: 1-(303)-572-3900	Phone: 1-(435-781-7023	Phone: 1-(435)	-781-7023			
Account No. N9305	Account No. (N0230)	Account No.	N1845			
CA	No.	Unit:				
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATU
UTE 1-7A2	07-01S-02W	43-013-30025	5850	INDIAN	OW	P
UTE 4-19A2	19-01S-02W	43-013-30147	5895	INDIAN	OW	P
UNITA OURAY 1-1A3	01-01S-03W	43-013-30132	5540	INDIAN	OW	P
UTE 7-24A3	24-01S-03W	43-013-30203	5730	INDIAN	OW	P
SALARATUS WASH 1-7C5	07-03S-05W	43-013-30098	5480	INDIAN	OW	TA
UTE TRIBAL K-1	01-03S-06W	43-013-30280	4530	INDIAN	OW	P
CEDAR RIM 14	10-03S-06W	43-013-30345	6375	INDIAN	OW	S
CEDAR RIM 21	10-03S-06W	43-013-31169	10663	INDIAN	OW	S
UTE TRIBAL E 1-12C6	12-03S-06W	43-013-30068	8400	INDIAN	OW	P
UTE TRIBAL E 2-12C6	12-03S-06W	43-013-30500	4531	INDIAN	OW	S
H B TRIBAL FEDERAL 1-25	25-03S-06W	43-013-30417	10704	INDIAN	OW	S
UTE FEDERAL 2-25	25-03S-06W	43-013-31093	10711	INDIAN	OW	S
CEDAR RIM 11	27-03S-06W	43-013-30352	6380	INDIAN	GW	S
CEDAR RIM 11A	27-03S-06W		6316	INDIAN	OW	P
CEDAR RIM 12	28-03S-06W		6370	INDIAN	OW	S
CEDAR RIM 12A	28-03S-06W	43-013-31173		INDIAN	OW	P
BLEY 2X-25C7	25-03S-07W	43-013-31636		INDIAN	OW	TA
CEDAR RIM 16	33-03S-06W	43-013-30363		INDIAN	OW	S
CEDAR RIM 15	34-03S-06W	43-013-30383		INDIAN	OW	P
BH UTE 1-35C6	35-03S-06W	43-013-30419		INDIAN	OW	P
UTE TRIB BRINK 5-1 (1-5D5)	05-04S-05W	43-013-30081	2305	INDIAN	ow	S

1.	(R649-8-10) Sundry or legal documentation was received from the <b>FORMER</b> operator on:	12/12/1999
1.	(R649-8-10) Sundry or legal documentation was received from the NEW operator on:	01/10/2000
2.	(R649-8-10) Sundry or legal documentation was received from the <b>FORMER</b> operator on:	05/01/2002
2.	(R649-8-10) Sundry or legal documentation was received from the NEW operator on:	05/01/2002

3. The new company has been checked through the **Department of Commerce**, **Division of Corporations Database on:** <u>06/20/2002</u>

4.	Is the new operator registered in the $S_{\underline{}}$	YES E	Business Number: 608186-0143
5.	If NO, the operator was contacted coi_	N/A	

`	R649-9-2)Waste Management Plan has been received				
	Federal Wells: The BLM has approved the medisted on Federal leases on:  06/	erger, name char /10/2001	nge, or operato —	r change for	r all wells listed on
	Indian Lease Wells: The BIA has approved listed on Indian leases on:  06/	d the merger, nar /05/2002	ne change, or o	operator cha	inge for all wells
•	Federal and Indian Units: The BLM or BIA has approved the successor of units.	it operator for wells	listed on:	N/A	
0.	Federal and Indian Communization Agr The BLM or BIA has approved the operator for all			N/A	
1.	Underground Injection Cont The Division has for the enhanced/secondary recovery unit/project for			of Authority (	to Inject, N/A
) <b>A</b>	TA ENTRY: Changes entered in the Oil and Gas 1 06/	/20/2002			
	Changes have been entered on the Monthly Operator	or Change Spread	Sheet on:	06/20/2002	
	Bond information entered in RBDMS on:		N/A	_	
	Fee wells attached to bond in RBDMS on:		N/A	_	
ST ·	ATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Numbe	N/A			
	DERAL WELL(S) BOND VERIFICATIO Federal well(s) covered by Bond Number:	DN:	N/A	_	
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	:	103601473	-	
	E WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) lists	ed covered by Bond	l Number	N/A	
	The <b>FORMER</b> operator has requested a release of liab The Division sent response by letter or	bility from their bon N/A	nd on:	N/A	3444
3. (	ASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells to find their responsibility to notify all interest owners of the	has been contacted	and informed by N/A	a letter from t	ne Division

ST	ATE OF UTAH		FORM 9						
	IT OF NATURAL RESOURCES OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-1322						
SUNDRY NOTICE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:								
Do not use this form for proposals to drill new was bottom-hole depth, reenter plugged wells, or to DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: CEDAR RIM 11-A						
2. NAME OF OPERATOR: EL PASO E&P COMPANY, LP			<b>9. API NUMBER:</b> 43013307970000						
3. ADDRESS OF OPERATOR: 1099 18th ST, STE 1900 , Denver, CO, 80202	303 291-6	PHONE NUMBER: 5417 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM						
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1707 FSL 2094 FWL			COUNTY: DUCHESNE						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIE Qtr/Qtr: NESW Section: 27 Township: 03.09		J	STATE: UTAH						
CHECK APPROPRIA	ATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT	, OR OTHER DATA						
TYPE OF SUBMISSION		TYPE OF ACTION							
✓ NOTICE OF INTENT	<u> </u>	ALTER CASING	CASING REPAIR						
Approximate date work will start: CHANGE TO F	PREVIOUS PLANS	CHANGE TUBING  COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE						
SUBSEQUENT REPORT DEEPEN	L STATUS	FRACTURE TREAT	□ NEW CONSTRUCTION						
Date of Work Completion:	HANGE	✓ PLUG AND ABANDON	PLUG BACK						
PRODUCTION	N START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION						
	E CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON						
☐ TUBING REP		VENT OR FLARE	☐ WATER DISPOSAL						
DRILLING REPORT WATER SHUT		SI TA STATUS EXTENSION	APD EXTENSION						
		OTHER	OTHER:						
EL PASO E & P COMPANY SUBMI AND ABANDON THE SUBJEC	12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EL PASO E & P COMPANY SUBMITS FOR RECORD THE PROCEDURE TO PLUG AND ABANDON THE SUBJECT WELL. BLM P&A APPROVAL HAS BEEN REQUESTED 06/22/2010 VIA ELECTRONIC NOTICE OF INTENT.  Utah Division of Oil, Gas and Mining								
		D	Date: June 22, 2010						
		E	By: 197 K Unit						
NAME (PLEASE PRINT) Marie Okeefe 303 2	PHONE NUMBER 91-6417	<b>TITLE</b> Sr Regulatory Analyst							





# Plug & Abandon

Cedar Rim 11A

AFE - Pending

API #: 43-013-30797
Section 27, Township 3S, Range 6W
Lat. = 40.188190 Long. = -110.550520
Altamont Field
Duchesne County, UT
Version #: 1
Date: 6/18/10

 Objective:
 Plug and abandon well

 Prepared by:
 Doug Sprague

 Approved by:
 Date:

 Approved by:
 Date:

#### **Distribution**:

#### **WELL INFORMATION**

BHT – NA Wellbore Fluid – Oil, Water & Gas BHP - NA SITP - NA SICP - NA

#### **COMPANY PERSONNEL**

Title	Name	Office Mobile		E-mail
Production Engr.	Doug Sprague	(303) 291-6433	(832) 264-9994	doug.sprague@elpaso.com
Production Mgr.	Mike Vennes	(303) 291-6440	(720) 545-7280	mike.vennes@elpaso.com
Production Supvr.	Gary Lamb	(435) 454-4224	(435) 823-1443	gary.x.lamb@elpaso.com
Lead Operator	Dwayne Davies	(4354) 454-3394	(435) 823-1470	dwayne.davies@elpaso.com
Safety Rep.	Walt Galloway	(303) 291-6447	(720) 425-5386	walt.galloway@elpaso.com

#### **Tubular Data**

		Burst	Col	Body	Jt		Drift	Cap	
Material	Description	(100%)	(100%)	Yield	Yield	ID	ID	SK/LF	TOC
Surface Casing	13 3/8" 72# N-80 @ 615'	5380	2670	1661	1693	12.347	12.191	.7230	Surface
Intermediate Casing	9 5/8" 47# P-110 @ 7,140	9400	5310	1493	1500	8.681	8.525	.3574	UNKN
Production Liner	7" 26# NH-80 @ 6,944' to 9,012'	7240	5410	604	519	6.276	6.151	.1868	TOL
Tubing	2 7/8" 6.4# N-80 EUE	10570	11160		144	2.441	2.347		

#### **Current Well Status:**

BOPD	BWPD	MCFPD	TP	Status
0	0	0	0	Shut-in

**CEMENT DESIGN:** Class G Cement, 15.8 ppg, 1.15 FT3/SK

WELLBORE FLUID: Treated produced water

Filename: G:\FIELDS\Altamont\Alta Well Buckets\11A Cedar Rim\Abandonment\

Cedar Rim 11A – Abandonment Procedure

## **Procedure**

- 1. Notify BLM and BIA of P&A operations at least 24 hours prior to start of well work.
- 2. MI&RU. Load well with TPW. Retrieve hydraulic pump if necessary.
- 3. ND wellhead. NU and test 5,000# BOP. Circulate well as necessary to clean up paraffin. Pull and lay down 2 1/16" side string.
- 4. Release TAC and pull tubing string. LD BHA. RIH with bit to 9,650' and hot oil well. Circulate well with heated treated produced water. POOH.
- 5. Plug #1 RIH and set 9 5/8" CIBP at 9,600' (Top of Wasatch).
- 6. Spot 25 sack Class G cement plug on top of CIBP. Tag cement plug and POOH.
- 7. Plug #2 RIH and set 110 sack Class G balanced plug from 2,233' to 2,433' across the Top of the Green River.
- 8. RU EL and perf well at 665'.
- 9. Plug #3 Establish injection rate. RIH and set CICR at 615'. Mix and pump 125 sacks of Class G cement. Squeeze 100 sacks below CICR and spot 25 sacks on top. If unable to establish injection rate, set CIBP at 615' and spot a 200' plug w/ 110 sacks of Class G cement. Tag cement and POOH.
- 10. Plug #4 Spot 50 sack Class G cement plug from 100' to surface. Run 1" in 13 3/8" x 9 5/8" annulus and pump 100' Class G top job.
- 11. Cut off casing 5' below ground level and install dry hole plate. Dry hole plate to include the following:
  - 1. Well name and number
  - 2. Operator Name
  - 3. Lease Serial Number
  - 4. API Number
  - 5. Location Qtr/Qtr Sec Township Range
- 12. RD&MO rig & clean up location.
- 18. Restore location.

## Safety, Compliance and Administrative

### 1. Pre-job

- Verify that all tree valves are functioning properly.
- Record SITP and SICP and report to Project Engineer.
- Hold pre-job JSA and document on DIMS report to ensure all personnel are oriented on El Paso safety standards, job procedures, each person's role in the job, and over all safety standards.
- Ensure that a copy of the "Open Hole Log" and a copy of the "Cased Hole Log" is available to the Well Site Supervisor

#### 2. Billing procedures

- All field tickets will be signed by the Well Site Consultant
- All tickets will be mailed to the address below:
- Attention:
   c/o El Paso Production Company
   17790 West 3750 North
   Altamont, UT 84001

#### 3. Ordering equipment

 All equipment, personnel and services will be ordered by the Well Site Supervisor utilizing the preferred vendor list. Project Engineer can/will also order out specialized equipment as needed.

## 4. Daily reports

- JSA's will be completed on every job and when the job scope changes.
- Completed accurate DIMS report will be sent to the following addresses by 6:30 A.M. daily on every job: <a href="mailto:dims@elpaso.com">dims@elpaso.com</a>.
- Observations will be recorded and sent to <a href="mailto:gary.x.lamb@elpaso.com">gary.x.lamb@elpaso.com</a> for entry into Tracker system.

## 5. Accident Reporting

- <u>All</u> accidents will be reported to the Operations Supervisor immediately. If he is not available, the Project Engineer will be notified and the Cased hole Supervisor will be notified.
- <u>All</u> accidents and incidents will be documented on the El Paso Tracker form and E-mailed to the Operations Supervisor, Project Engineer and Cased Hole Manager.

## 6. Personnel Qualifications

- If applicable, Well Site Supervisors and/or onsite El Paso representatives shall require all personnel to fill out the appropriate section of the Personnel Qualification form.
- Well Site Supervisors shall ensure that all personnel on location are qualified and trained as required. If the subject personnel are not qualified, ensure that a replacement is sent to location immediately.

## 7. Changes

 Any and all changes to the procedure shall be approved DOGM in Salt Lake City and the DOGM Field Inspector.

## 8. Stop Work Authority

- Ensure that at all safety, JSA and procedural meeting on location that all
  personnel are aware that if an unsafe condition exist, the job can be shut
  down and that the authority is vested in each individual when that
  individual sees an unsafe condition.
- The condition should be brought up the chain of authority and finally to the Engineering Manager. Once the unsafe condition is investigated onsite and corrected, the job will continue and operations deemed safe. If the condition cannot be engineered out, discuss the situation with the Project Engineer for resolution.
- While everyone on the job has the right to stop work for safety conditions, everyone also has the responsibility to help determine how to safely proceed with the work to complete the job.

## 9. Equipment

- Take time to ensure that unnecessary equipment is released as soon as practical. Take into account:
  - Safety
  - Weather conditions
  - Job progress
  - Cost and mob cost

## 10. Third Party Tickets

- Any 3<sup>rd</sup> party work or material that you are receiving and will be billed direct to El Paso, the Delivery Tickets should be forwarded with your delivery tickets to location for the Wellsite Supervisor to approve and code.
- Invoices will not be approved or processed without the wellsite supervisor's approval of delivery tickets

#### 11. Cased Hole Responsibilities

- A JSA has to be completed on every job every day <u>and</u> when the job scope changes prior to the work being started.
- Observations shall be recorded and sent to Cased Hole Supervisor.
- Observations from other service parties discussed in daily/morning meetings
- Dims report to be submitted at least by 6:30 A.M. daily for every job
- Communicate with project Engineer daily and when scope of job changes.
- Discuss all discrepancies with Cased Hole Supervisor as they occur for guidance to resolve BOP testing. Follow up with an E-mail to Cased Hole Supervisor on the BOP testing results.
- Be proactive in suggestions when the procedure changes. Have ideas on how to accomplish task.
- <u>All BHA's</u> shall be measured, callipered and recorded prior to running assembly in hole.
- Ensure that preferred venders list is being followed. If changes are needed, get approval first.
- Any leaking valve, leaks or spills will be reported to the Cased Hole or Production Supervisor.
- Report <u>any and all incidents to include but not limited to (injuries, fires and etc.)</u> to Cased Hole Supervisor immediately. If he is not available contact the Production Supervisor next and the Project Engineer if he is not available.


## Agency Contacts


Agency	Contact	Office	Cell
DOGM	Dustin Doucet	801-538-5281	
DOGM	Dennis Ingram	435-722-3417	435-722-7584
BLM	Ryan Angus	435-781-4430	435-828-7368
BLM	Bill Owens	435-781-4498	435-828-7630
BLM	Ray Arnold	435-781-4485	435-828-7499
BIA	Bucky Secakuku	435-722-4331	
BIA	Bruce Pargeets	435-725-4999	
BIA	Fax	435-722-2323	

#### Abandonment Cedar Rim 11A

# **Vendor Contact List**

SERVICE	COMPANY	CONTACT	LOCATION	PHONE	Contract/MSA#
Cementing	Big 4		Vernal	435-789-1735	
Cementing	BJ services	Darren Bailey	Vernal	435-790-0169	EPPC-MSA-700
Cementing	Halliburton	Zack	Vernal	435-789-2550	EPPC -MSA-205
Coil Tubing	Coil Tubing Services	Joe Hollan	Rock Springs	307-382-0750	EPPC-MSA-384
Coil Tubing	Cudd	Gary Attwood	Vernal	435-789-0757	EPEPC-MSA-947
E-Line Services	BWWC	Jacson Rassmusen	Roosevelt	435-7220139	
E-Line Services	Cased hole solution	Arnie Esksund	Vernal	435-781-4192	EPEPC-MSA-1044
E-Line Services	Lone wolf	Rick Robbins	Vernal	435-789-4814	
E-Line Services	Perf-o-log	Gary Murray	Vernal	435-828-3951	EPPC-MSA-637
E-Line Services	Perforators	Mitch Funk	Roosevelt	435-725-2344	
Frac Tanks/2% KCI	Dalbo	Heavy Sursa	Vernal	435-823-7300	EPEPC-MSA-1327
Frac Tanks/2% KCI	Rain for rent	Lynn Bell	Roosevelt	801-541-1661	EPPC-MSA-804
Heating	Action hot oil	Leon Richins	Roosevelt	435-722-2190	EPEPC-MSA-1226
Heating	Heat wave	Dean Hall	Roosevelt	435-724-4145	EPEPC-MSA-1316
Heating	Willies hot oil	Ronnie Miller	Vernal	435-823-6215	EPEPC-MSA-1358
Office/Misc. Rentals	Action	Jeremy	Ballard	435-789-5224	
Office/Misc. Rentals	Crozier	Richard Ross	Roosevelt	435-823-0979	EPEPC-MSA-1298
Packers & Plugs	Baker	Robin Peterson	Vernal	435-789-5918	EPPC-MSA-551
Packers & Plugs	Weatherford	Skyler Attwood	Vernal	435-828-8142	EPPC-MSA-588
Rentals	H & S rental	Heavy Sursa	Bluebell	435-823-7300	
Rentals	Nabors	Lee Slaugh	Roosevelt	435-823-0148	EPEPC-MSA-1000
Rentals	R & W rental	Rex Hall	Vernal	435-789-7888	
Rentals	Weatherford	Todd Logan	Vernal	435-789-0445	EPPC-MSA-588
Rentals	Weatherford	Brian Slaugh	Vernal	435-789-0445	EPPC-MSA-588
Stimulation Services	BJ services	Darren Bailey	Vernal	435-790-0169	EPPC-MSA-700
Stimulation Services	Halliburton	Tracy Bueler	Vernal	435-781-7584	EPPC -MSA-205





ST	ATE OF UTAH		FORM 9
DEPARTMEN DIVISION OF		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-1322	
SUNDRY NOTICE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new was bottom-hole depth, reenter plugged wells, or to DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: CEDAR RIM 11-A
2. NAME OF OPERATOR: EL PASO E&P COMPANY, LP			<b>9. API NUMBER:</b> 43013307970000
3. ADDRESS OF OPERATOR: 1099 18th ST, STE 1900 , Denver, CO, 80202	303 291-6	PHONE NUMBER: 5417 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1707 FSL 2094 FWL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIE Qtr/Qtr: NESW Section: 27 Township: 03.09		J	STATE: UTAH
CHECK APPROPRIA	ATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	<u> </u>	ALTER CASING	CASING REPAIR
Approximate date work will start: CHANGE TO F	PREVIOUS PLANS	CHANGE TUBING  COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE
SUBSEQUENT REPORT DEEPEN	L STATUS	FRACTURE TREAT	□ NEW CONSTRUCTION
Date of Work Completion:	HANGE	✓ PLUG AND ABANDON	PLUG BACK
PRODUCTION	N START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	E CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
☐ TUBING REP		VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT WATER SHUT		SI TA STATUS EXTENSION	APD EXTENSION
		OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERA EL PASO E & P COMPANY SUBMI AND ABANDON THE SUBJEC REQUESTED 06/22/2010	ITS FOR RECORD T T WELL. BLM P&A A	HE PROCEDURE TO PLUG APPROVAL HAS BEEN	
		D	Date: June 22, 2010
		E	By: 197 K Unit
NAME (PLEASE PRINT) Marie Okeefe 303 2	PHONE NUMBER 91-6417	<b>TITLE</b> Sr Regulatory Analyst	





# Plug & Abandon

Cedar Rim 11A

AFE - Pending

API #: 43-013-30797
Section 27, Township 3S, Range 6W
Lat. = 40.188190 Long. = -110.550520
Altamont Field
Duchesne County, UT
Version #: 1
Date: 6/18/10

Objective: Plug and abandon well

Prepared by:	Doug Sprague	Date:	6/18/10
Approved by:		Date:	
Approved by:		Date:	

#### **Distribution**:

#### **WELL INFORMATION**

BHT – NA Wellbore Fluid – Oil, Water & Gas BHP - NA SITP - NA SICP - NA

#### **COMPANY PERSONNEL**

Title	Name	Office	Mobile	E-mail
Production Engr.	Doug Sprague	(303) 291-6433	(832) 264-9994	doug.sprague@elpaso.com
Production Mgr.	Mike Vennes	(303) 291-6440	(720) 545-7280	mike.vennes@elpaso.com
Production Supvr.	Gary Lamb	(435) 454-4224	(435) 823-1443	gary.x.lamb@elpaso.com
Lead Operator	Dwayne Davies	(4354) 454-3394	(435) 823-1470	dwayne.davies@elpaso.com
Safety Rep.	Walt Galloway	(303) 291-6447	(720) 425-5386	walt.galloway@elpaso.com

#### **Tubular Data**

		Burst	Col	Body	Jt		Drift	Cap	
Material	Description	(100%)	(100%)	Yield	Yield	ID	ID	SK/LF	TOC
Surface Casing	13 3/8" 72# N-80 @ 615'	5380	2670	1661	1693	12.347	12.191	.7230	Surface
Intermediate Casing	9 5/8" 47# P-110 @ 7,140	9400	5310	1493	1500	8.681	8.525	.3574	UNKN
Production Liner	7" 26# NH-80 @ 6,944' to 9,012'	7240	5410	604	519	6.276	6.151	.1868	TOL
Tubing	2 7/8" 6.4# N-80 EUE	10570	11160		144	2.441	2.347		

#### **Current Well Status:**

BOPD	BWPD	MCFPD	TP	Status
0	0	0	0	Shut-in

**CEMENT DESIGN:** Class G Cement, 15.8 ppg, 1.15 FT3/SK

WELLBORE FLUID: Treated produced water

Filename: G:\FIELDS\Altamont\Alta Well Buckets\11A Cedar Rim\Abandonment\

Cedar Rim 11A – Abandonment Procedure

## **Procedure**

- 1. Notify BLM and BIA of P&A operations at least 24 hours prior to start of well work.
- 2. MI&RU. Load well with TPW. Retrieve hydraulic pump if necessary.
- 3. ND wellhead. NU and test 5,000# BOP. Circulate well as necessary to clean up paraffin. Pull and lay down 2 1/16" side string.
- 4. Release TAC and pull tubing string. LD BHA. RIH with bit to 9,650' and hot oil well. Circulate well with heated treated produced water. POOH.
- 5. Plug #1 RIH and set 9 5/8" CIBP at 9,600' (Top of Wasatch).
- 6. Spot 25 sack Class G cement plug on top of CIBP. Tag cement plug and POOH.
- 7. Plug #2 RIH and set 110 sack Class G balanced plug from 2,233' to 2,433' across the Top of the Green River.
- 8. RU EL and perf well at 665'.
- 9. Plug #3 Establish injection rate. RIH and set CICR at 615'. Mix and pump 125 sacks of Class G cement. Squeeze 100 sacks below CICR and spot 25 sacks on top. If unable to establish injection rate, set CIBP at 615' and spot a 200' plug w/ 110 sacks of Class G cement. Tag cement and POOH.
- 10. Plug #4 Spot 50 sack Class G cement plug from 100' to surface. Run 1" in 13 3/8" x 9 5/8" annulus and pump 100' Class G top job.
- 11. Cut off casing 5' below ground level and install dry hole plate. Dry hole plate to include the following:
  - 1. Well name and number
  - 2. Operator Name
  - 3. Lease Serial Number
  - 4. API Number
  - 5. Location Qtr/Qtr Sec Township Range
- 12. RD&MO rig & clean up location.
- 18. Restore location.

## Safety, Compliance and Administrative

### 1. Pre-job

- Verify that all tree valves are functioning properly.
- Record SITP and SICP and report to Project Engineer.
- Hold pre-job JSA and document on DIMS report to ensure all personnel are oriented on El Paso safety standards, job procedures, each person's role in the job, and over all safety standards.
- Ensure that a copy of the "Open Hole Log" and a copy of the "Cased Hole Log" is available to the Well Site Supervisor

#### 2. Billing procedures

- All field tickets will be signed by the Well Site Consultant
- All tickets will be mailed to the address below:
- Attention:
   c/o El Paso Production Company
   17790 West 3750 North
   Altamont, UT 84001

#### 3. Ordering equipment

 All equipment, personnel and services will be ordered by the Well Site Supervisor utilizing the preferred vendor list. Project Engineer can/will also order out specialized equipment as needed.

## 4. Daily reports

- JSA's will be completed on every job and when the job scope changes.
- Completed accurate DIMS report will be sent to the following addresses by 6:30 A.M. daily on every job: <a href="mailto:dims@elpaso.com">dims@elpaso.com</a>.
- Observations will be recorded and sent to <a href="mailto:gary.x.lamb@elpaso.com">gary.x.lamb@elpaso.com</a> for entry into Tracker system.

## 5. Accident Reporting

- <u>All</u> accidents will be reported to the Operations Supervisor immediately. If he is not available, the Project Engineer will be notified and the Cased hole Supervisor will be notified.
- <u>All</u> accidents and incidents will be documented on the El Paso Tracker form and E-mailed to the Operations Supervisor, Project Engineer and Cased Hole Manager.

## 6. Personnel Qualifications

- If applicable, Well Site Supervisors and/or onsite El Paso representatives shall require all personnel to fill out the appropriate section of the Personnel Qualification form.
- Well Site Supervisors shall ensure that all personnel on location are qualified and trained as required. If the subject personnel are not qualified, ensure that a replacement is sent to location immediately.

## 7. Changes

 Any and all changes to the procedure shall be approved DOGM in Salt Lake City and the DOGM Field Inspector.

## 8. Stop Work Authority

- Ensure that at all safety, JSA and procedural meeting on location that all
  personnel are aware that if an unsafe condition exist, the job can be shut
  down and that the authority is vested in each individual when that
  individual sees an unsafe condition.
- The condition should be brought up the chain of authority and finally to the Engineering Manager. Once the unsafe condition is investigated onsite and corrected, the job will continue and operations deemed safe. If the condition cannot be engineered out, discuss the situation with the Project Engineer for resolution.
- While everyone on the job has the right to stop work for safety conditions, everyone also has the responsibility to help determine how to safely proceed with the work to complete the job.

## 9. Equipment

- Take time to ensure that unnecessary equipment is released as soon as practical. Take into account:
  - Safety
  - Weather conditions
  - Job progress
  - Cost and mob cost

## 10. Third Party Tickets

- Any 3<sup>rd</sup> party work or material that you are receiving and will be billed direct to El Paso, the Delivery Tickets should be forwarded with your delivery tickets to location for the Wellsite Supervisor to approve and code.
- Invoices will not be approved or processed without the wellsite supervisor's approval of delivery tickets

#### 11. Cased Hole Responsibilities

- A JSA has to be completed on every job every day <u>and</u> when the job scope changes prior to the work being started.
- Observations shall be recorded and sent to Cased Hole Supervisor.
- Observations from other service parties discussed in daily/morning meetings
- Dims report to be submitted at least by 6:30 A.M. daily for every job
- Communicate with project Engineer daily and when scope of job changes.
- Discuss all discrepancies with Cased Hole Supervisor as they occur for guidance to resolve BOP testing. Follow up with an E-mail to Cased Hole Supervisor on the BOP testing results.
- Be proactive in suggestions when the procedure changes. Have ideas on how to accomplish task.
- <u>All BHA's</u> shall be measured, callipered and recorded prior to running assembly in hole.
- Ensure that preferred venders list is being followed. If changes are needed, get approval first.
- Any leaking valve, leaks or spills will be reported to the Cased Hole or Production Supervisor.
- Report <u>any and all incidents to include but not limited to (injuries, fires and etc.)</u> to Cased Hole Supervisor immediately. If he is not available contact the Production Supervisor next and the Project Engineer if he is not available.


## Agency Contacts


Agency	Contact	Office	Cell
DOGM	Dustin Doucet	801-538-5281	
DOGM	Dennis Ingram	435-722-3417	435-722-7584
BLM	Ryan Angus	435-781-4430	435-828-7368
BLM	Bill Owens	435-781-4498	435-828-7630
BLM	Ray Arnold	435-781-4485	435-828-7499
BIA	Bucky Secakuku	435-722-4331	
BIA	Bruce Pargeets	435-725-4999	
BIA	Fax	435-722-2323	

#### Abandonment Cedar Rim 11A

# **Vendor Contact List**

SERVICE	COMPANY	CONTACT	LOCATION	PHONE	Contract/MSA#
Cementing	Big 4		Vernal	435-789-1735	
Cementing	BJ services	Darren Bailey	Vernal	435-790-0169	EPPC-MSA-700
Cementing	Halliburton	Zack	Vernal	435-789-2550	EPPC -MSA-205
Coil Tubing	Coil Tubing Services	Joe Hollan	Rock Springs	307-382-0750	EPPC-MSA-384
Coil Tubing	Cudd	Gary Attwood	Vernal	435-789-0757	EPEPC-MSA-947
E-Line Services	BWWC	Jacson Rassmusen	Roosevelt	435-7220139	
E-Line Services	Cased hole solution	Arnie Esksund	Vernal	435-781-4192	EPEPC-MSA-1044
E-Line Services	Lone wolf	Rick Robbins	Vernal	435-789-4814	
E-Line Services	Perf-o-log	Gary Murray	Vernal	435-828-3951	EPPC-MSA-637
E-Line Services	Perforators	Mitch Funk	Roosevelt	435-725-2344	
Frac Tanks/2% KCI	Dalbo	Heavy Sursa	Vernal	435-823-7300	EPEPC-MSA-1327
Frac Tanks/2% KCI	Rain for rent	Lynn Bell	Roosevelt	801-541-1661	EPPC-MSA-804
Heating	Action hot oil	Leon Richins	Roosevelt	435-722-2190	EPEPC-MSA-1226
Heating	Heat wave	Dean Hall	Roosevelt	435-724-4145	EPEPC-MSA-1316
Heating	Willies hot oil	Ronnie Miller	Vernal	435-823-6215	EPEPC-MSA-1358
Office/Misc. Rentals	Action	Jeremy	Ballard	435-789-5224	
Office/Misc. Rentals	Crozier	Richard Ross	Roosevelt	435-823-0979	EPEPC-MSA-1298
Packers & Plugs	Baker	Robin Peterson	Vernal	435-789-5918	EPPC-MSA-551
Packers & Plugs	Weatherford	Skyler Attwood	Vernal	435-828-8142	EPPC-MSA-588
Rentals	H & S rental	Heavy Sursa	Bluebell	435-823-7300	
Rentals	Nabors	Lee Slaugh	Roosevelt	435-823-0148	EPEPC-MSA-1000
Rentals	R & W rental	Rex Hall	Vernal	435-789-7888	
Rentals	Weatherford	Todd Logan	Vernal	435-789-0445	EPPC-MSA-588
Rentals	Weatherford	Brian Slaugh	Vernal	435-789-0445	EPPC-MSA-588
Stimulation Services	BJ services	Darren Bailey	Vernal	435-790-0169	EPPC-MSA-700
Stimulation Services	Halliburton	Tracy Bueler	Vernal	435-781-7584	EPPC -MSA-205





	STATE OF UTAH DEPARTMENT OF NATURAL RESOURC				FORM 9
	3		E DESIGNATION AND SERIAL NUMBER: -H62-1322		
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	sals to drill new wells, significantly deepen gged wells, or to drill horizontal laterals. l			7.UNIT	or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well					L <b>NAME and NUMBER:</b> R RIM 11-A
2. NAME OF OPERATOR: EL PASO E&P COMPANY, LP					NUMBER: 307970000
3. ADDRESS OF OPERATOR: 1099 18th ST, STE 1900 , Der	PHO over, CO, 80202 303 291		UMBER: 7 Ext	9. FIEL	D and POOL or WILDCAT: R RIM
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1707 FSL 2094 FWL QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 27	<b>P, RANGE, MERIDIAN:</b> Township: 03.0S Range: 06.0W Meridian	: U		COUNT DUCHI STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NA	ATURE OF NOTICE, REPORT,	OR OTI	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	☐ ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
✓ SUBSEQUENT REPORT  Date of Work Completion:	DEEPEN	☐ F	FRACTURE TREAT		NEW CONSTRUCTION
7/22/2010	OPERATOR CHANGE	<b>√</b>	PLUG AND ABANDON		PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
☐ DRILLING REPORT	LI TUBING REPAIR	□ <b>\</b>	VENT OR FLARE		WATER DISPOSAL
Report Date:	WATER SHUTOFF	∐ s	SI TA STATUS EXTENSION	Ш	APD EXTENSION
	☐ WILDCAT WELL DETERMINATION		OTHER	отн	ER:
EL PASO E & P COM	MPLETED OPERATIONS. Clearly show all per PANY PLUGGED AND ABANDO PER THE ATTACHED REPO	ONE DRT.	D THE SUBJECT WELL  A  COI  FOR	Accep Utah I, Gas	etc.  Ited by the Division of S and Mining  ECORD ONLY  August 05, 2010
NAME (PLEASE PRINT) Marie Okeefe	<b>PHONE NUMBER</b> 303 291-6417		TITLE Sr Regulatory Analyst		
<b>SIGNATURE</b> N/A			<b>DATE</b> 8/4/2010		





#### **EL PASO PRODUCTION**

# **Operations Summary Report**

Legal Well Name:

CEDAR RIM 11A

Common Well Name: CEDAR RIM 11A

Event Name:

**ABANDONMENT** 

Start:

7/13/2010

Spud Date: 9/3/1983

Rig Release: 7/22/2010

End:

7/22/2010

Contractor Name:

WESTERN WELLSITE SERVIC

Group:

Rig Name:	,	WESTE	RN WEI	LLSITE	svcs	Rig Number: 1
Date	From - To	Hours	Code	Sub Code	Phase	Description of Operations
7/14/2010	06:00 - 07:00	1.00	С	18		CREW TRAVEL TO LOC HOLD SAFETY MEETING
	07:00 - 11:30	4.50	С	08		MIRU. BLOW DOWN WELL CIRC HYD PUMP OUT W/HOT
	11:30 - 12:30	1.00		10		ND WELLHEAD/NUBOP'S
	12:30 - 16:00	3.50		08		WORK 2 1/16 TBG TRY TO FREE, LAND TBG CIRC 2 7/8 TBG
	12.00	0,00				CLEAN, RIG UP DELSCO TO SHEAR ST VALVE.
	16:00 - 17:30	1.50	C	18		CREW TRAVEL FROM LOC
7/15/2010	05:30 - 07:00	1.50	1	18		CREWTRAVEL TO LOC PRE JOB SAFETY MEETING
7715/2010		3.00		10		WORK STUCK 2 1/16 TBG
	07:00 - 10:00				×	
	10:00 - 13:00	3.00				FREE POINT 2 1/16 TBG
	13:00 - 18:00	5.00	C			CUT 2 1/16 TBG LAY DOWN 2 JOINTS LAND TBG. RIG UP AND CUT
						2 7/8 TBG, PREPAIR TO LAY DOWN 2 1/16 TBG
	18:00 - 19:30	1.50	1			CREW TRAVEL FROM LOC
7/16/2010	05:30 - 07:00	1.50	1	18		CREW TRAVEL TO LOCHOLD SM
	07:00 - 10:00	3.00		04		LAY DOWN 2 1/16 TBG
l	10:00 - 13:00	3.00	С	10		WORK TO FREE 2 7/8 TBG FAILED, NDBOP RPLACE HANGER
						WITH SUB NUBOPS, HO TBG
	13:00 - 18:00	5.00	С	11		RUWIRELINE FREEPOINT 2 7/8 TBG FAILED, FREEPOINT TBG
1						WITH 2ND TOOL FREE AT 6906' CHEM CUT AT 6890' GROUND
						LEVEL, RD WIRELINE, TOOH TO 3400' SIW, SDFN
	18:00 - 19:30	1.50	С	18		CREW TRAVEL FROM LOC
7/17/2010	05:30 - 07:00	1.50		18		CREW TRAVEL TO LOC, HSM FILL OUT JSA
	07:00 - 09:00	2.00				HOW WITH 35 BBLS TOOH WITH 2 7/8 TBG
	09:00 - 10:30	1.50				NDBOP'S NDWH, PU BIT AND 6 JTS 2 7/8 TBG, NUWH AND BOPS
	10:30 - 14:00	3.50				TIH TO 6869' HOW WITH 100BBLS DOWN CSG TOOH
l	14:00 - 15:00	1.00				NDBOP'S NDWH LD BHA PICK UP CIBP AND 6 JTS 2 7/8 TBG
	14.00 - 15.00	1.00	C			NUWH, AND BOPS
	15:00 10:00	2.00	^			
	15:00 - 18:00	3.00				TIH AND SET CIBP @ 6869' SIW, SDFN
7/00/0040	18:00 - 19:30	1.50		40		CREW TRAVEL FROM LOC
7/20/2010	05:30 - 07:00	1.50		18		CREW TRAVEL TO LOC HSM
	07:00 - 10:00	3.00	C	80		FILL AND CIRC HOLE TEST CSG TO 500 PSI, GOOD, MIX AND
						PUMP 25 SKS CMT DISPLACED TO TOP OF CICR @ 6869'. TOOH
	10:00 - 11:00	1.00		10		NDBOP'S, NDWH, LD STINGER NUWH AND BOPS
	11:00 - 13:00	2.00	С	11		RUWL, SHOOT PERF HOLES @ 2600' GET INJECTION RATE OF 2
						BBLS A MIN @ 400 PSI WITH 50 BBLS, RUN WIL INTO 669' SHOOT
						PERF HOLES RDWL
	13:00 - 14:00	1.00		10		NDWH AND BOP'S PU CICR AND 6 JTS NUWH AND BOP'S
	14:00 - 16:30	2.50	С	14		TIH SET CICR @ 2511' PUMP DOWN PROD CSG OUT PERFS @ 669'
						AND BROKE CIRC TO SURFACE 7 BBLS SDFN
	16:30 - 18:00	1.50	С	18		CREW TRAVEL FROM LOC
7/21/2010	05:30 - 07:00	1.50	С	18		CREW TRAVEL TO LOC HSM
	07:00 - 09:00	2.00		14		PUMP 200 SKS CMT ON PLUG#2 (130SKS UNDER CICR 70 SKS ON
			_			TOP)@ 2511' TOOH
	09:00 - 10:30	1.50	C	14		NDWH AND BOP'S LD STINGER PU CICR TIH AND SET @610'
		,,,,,,	_	1		PUMP 125 SKS CMT (100SKS UNDER CICR 25 SKS ONTOP)TOOH
						LD STINGER
	10:30 - 13:30	3.00	C	14		NUWH AND BOP'S TIH TO 95' CIRC HOLE WITH 60 BBLS MIX AND
	10.00 - 10.00	3.00	-	1"		
	12:20 17:20	4.00	_	14		PUMP 45 SKS CMT TO SURFACE TOOH
	13:30 - 17:30	4.00	C .	14	,	NDWH AND BOP'S RIG DOWN DIG OUT WELLHEAD CUT OFF WH
						RUN 1" DOWN 13 3/8-9 5/8 ANNULUS MIX AND PUMP 25 SKS CMT
				1		TO SURFACE, WELD ON PLATE INFO SDFN
	17:30 - 19:00	1.50		18		CREW TRAVEL FROM LOC
7/22/2010	05:30 - 07:00	1.50		18		CREW TRAVEL TO LOC
	07:00 - 14:00	7.00	С	06		RACK OUT EQUIPMENT, PREPARE TO MOVE
		1				

Printed: 8/4/2010 2:26:21 PM



#### **EL PASO PRODUCTION**

Page 2 of 2

# **Operations Summary Report**

Legal Well Name:

CEDAR RIM 11A

Common Well Name: CEDAR RIM 11A

Event Name:

**ABANDONMENT** 

Start:

7/13/2010

Spud Date: 9/3/1983 End:

7/22/2010

Contractor Name:

WESTERN WELLSITE SERVIC

Rig Release: 7/22/2010

Group:

Rig Name:	1	WESTE	RN WEI		SVCS	Rig Number: 1
Date	From - To	Hours	Code	Sub Code	Phase	Description of Operations
7/22/2010	14:00 - 15:30	1.50	С	18		CREW TRAVEL FROM LOC
						v
			;			

Printed: 8/4/2010 2:26:21 PM